



**AGL**<sup>®</sup>  
 Tiles · Marble · Quartz · Bathware



**SOLID  
 DURABILITY**



**AGL**<sup>®</sup>  
 Tiles · Marble · Quartz · Bathware

**Asian Granito India Ltd.**

Regd. & Corp. Office

202, Dev Arc, Opp. Iskcon Temple, S.G. Highway,  
 Ahmedabad - 380 015, Gujarat, INDIA.

Phone: +91 79 66125500/698 | Fax: +91 79 66125600/66058672

CIN: L17110GJ1995PLC027025

E-mail: info@aglasiangranito.com | Web: www.aglasiangranito.com

1800 123 3455  
 Toll-free: Mon-Sat 10am-6pm

Follow Us:



Scan code to  
 Download  
 AGL Tiles App



Scan code to  
 Download  
 Catalogue



Scan to Find  
 Exclusive  
 Store

ACL \ Collection \ February 2024

**NEW  
 ARRIVAL**

V4



ALL-IN-ONE  
**LUXURY**  
 WALL & FLOOR

**HD CLISTER**

*natural*  
 Wooden Planks

600x1200mm | 600x600mm | 195x1000mm | 397x397mm | 300x300mm

# ABOUT US

At AGL, we have been leading the change by continuous innovation, setting higher goals, achieving the unthinkable and creating new benchmarks. This has enabled us to clock net consolidated turnover of ₹1562 Crores (US \$190 Million) in FY22-23, making us giant in the space décor industry. In the short span of 23 years, we are one of India's largest groups, with a global footprint across 100 countries.

Today, AGL has enhance its product range from Tile to Marble, Quartz and now in Bathware as well.






The research and development center at every AGL plant is well equipped with all the latest testing methods and the products are thoroughly tested for quality before delivery. It is ensured that every product matches the highest international quality standards.

## EXPANDING FOR A BEAUTIFUL LIFE



**14 ULTRA-MODERN MANUFACTURING UNITS IN INDIA\***

\* Including JVs and CMUs

 <b>54.5 Million</b> Sq.Mtr. Production Capacity Per Annum**	 <b>Consolidated Net Turnover</b> ₹ 1562cr. (US \$190 million)	 <b>1400+</b> Designs	 <b>30+</b> Different Sizes	 <b>12</b> Display Centres
 <b>6000+</b> Employees* <small>* Includes contract labour</small>	 <b>14</b> Mfg. units	 Exports in <b>100+</b> Countries	 <b>Trade Network</b> in <b>35</b> States & UTs of India	
 <b>235+</b> Showrooms	 <b>11+</b> Digital Printing Technology	 <b>First to bring</b> world's largest 5 line kiln set up in India	 <b>1.4 Million+</b> Facebook Followers	 <b>14000</b> Touch Point ** including JVs

# ADVANCE TECHNOLOGIES & KEY PROCESS










**GLOBAL PRESENCE IN OVER 100+ COUNTRIES**

**YOUNGEST & FASTEST GROWING TILE COMPANY IN INDIA**

**LARGEST SINGLE LOCATION PLANT IN INDIA**

**ONE OF THE TOP 4 LISTED CERAMIC TILE COMPANIES IN INDIA**



From ceramic tiles to latest Glazed Vitrified Tiles & Double Charge Vitrified Tiles; Roto Drum to New Digital Technology, AGL dominates the most diverse array of designs across the entire Tile, Marble & Quartz product range. Modernization plays a pivotal role for the company, which becomes evident from our 09 ultra modern plants across Gujarat. Spread over an area of 3,20,000 Sq. mt. these plants unfailingly produce unbeatable classy products every day. Therefore, we are proud to acquire the certifications from ISO and Green Building.

A : Latest Press with ultra modern feeder  
 B : Digital Printing Technology -13 Unit  
 C : World's Widest Kiln First in India  
 D : Auto check of planarity & rectangularity of tiles  
 E : Continuum + latest press system from Sacmi, Italy

Asian Granito India Limited has debunked the myth that leadership in design is a forte only of foreign players by achieving the position through an ideal mix of creativity and technology. It has been the champion in introducing innovative digital printing technology with a technical collaboration with SACMI, Italy. A world-class Quality Management System has enabled us to build a portfolio that is truly avant-garde.

# Awards and Recognition



*Achievements of trusted and innovative brand in the ceramic industry*

Today, AGL has been performed the best to give excellent product and services across the globe and in result, AGL has been recognized by top media houses like Readers' Digest, The Economic Times and Fortune India. AGL is certified with ISO 9001:2015 and ISO 14001:2015 for its quality management and environmental management system and also products are certified with CE standards.



AGL is now MEGA BRAND  
Latest Recognition by ARCHITECTURE + DESIGN - 2016



ET INDUSTRY LEADERS 2021



Asian Granito India Ltd. (AGL) Associate Mr. Suresh Patel receives Energy Conservation Award from the honorable President of India.



Next Fortune 500 award by Fortune India 2019




Recognised as one of the Best Brand by The Economic Times -2022



## CERTIFICATION



ISO 9001:2015  
ISO 14001 : 2015



ISO 9001:2015  
ISO 14001 : 2015



Certified Tow Star  
Export House



GRIHA Certified for  
Ceramic & Vitrified Products



SASO Certified



Awarded for  
Brand Leadership



BIS Certification



IIID Certified




Member of  
IGBC

# MANY NATIONAL & INTERNATIONAL PROJECTS

Today AGL is the preferred brand for several National & International Projects. We are partnering several private residential projects, commercial projects, showrooms, port authorities, religious centers, and international projects. Here are selected few of them:



Project : Cleveland Cycle Werks Showroom



# Prestigious Projects

## Government Projects



## Banks



## Corporates



## Builders



## Hospital



## Automobiles



## Telecom



## Multiplexes




## Hotels



## Apparel



## Eatery Brands



and many more ...




# OUR EXPERIENCE CENTRES

"Team AGL is making efforts to simplify product selections very nearer to you. Keeping in mind better service and easy access to AGL products, your company has opened world class display centres across various metro cities of India. These showrooms are avant-garde with contemporary product applications of Tiles, Marble, Quartz and its latest Bathware range of products. We are sure that your visit to AGL showroom definitely helps you in right product selection and leave long lasting impressions in your mind. Below are few glimpse over the showroom.




AHMEDABAD | MORBI | HIMATNAGAR | MUMBAI | BANGALURU | COCHIN | HYDERABAD | PUNE | DELHI | KOLKATA





AGL Tuffguard and Porcelain collection are the blend of creativity, trend, luxurious touch and feel, add on with safety features. It is decorated with natural textures and values to maintain very easily in daily life. It has vast applications like bathroom, living room, balcony, bedroom and lot more, wherever you want to transform spaces.



Available in modern formats like 600x1200mm, 600x600mm, 397x397mm, 195x1000mm and 300x300mm. They are manufactured using most advance technology and developed by highly experienced research team to elevate your space aesthetics to higher class. It has bunch of features like stain and skid resitant, high abrasion resistant and much more to stay impressive life long.

**TILE FEATURES**

- HIGH DURABILITY
- HYGIENIC SURFACES
- LOW WATER ABSORPTION
- NANO POLISHED
- FLOOR TILES
- FIRE RESISTANCE
- EASY TO CLEAN
- FROST RESISTANCE
- STAIN RESISTANCE
- EASY TO INSTALL
- SCRATCH RESISTANCE
- ECO FRIENDLY

**Introducing New Sizes Soon**

- 600x600mm**  
12MM Thickness
- 1200x1600mm**  
9MM Thickness
- 800x2600mm**  
15MM Thickness
- 1200x2800mm**  
6MM Thickness

**TOUGH AND RESILIENT WITH TIMELESS AESTHETIC ELEGANCE**



MTA- Make to Available  
This product is immediately available to order.



MTO- Make to Order  
This product is made on order only.




Matt




Wall




Floor



FAME BIANCO




JOYTONE BEIGE



FAME BEIGE




JOYTONE MOCHA




FAME MARFIL




JOYTONE AZUL



ZITTO GRIS




ZITTO BEIGE




ZITTO DARK




ZITTO RUBY



SWITZ WHITE



SWITZ IVORY



GRIS



CEMENTO



BLUE



KOTA GREEN









TITLIS SATVARIO



OPTIMA NERO



OPTIMA CREMA




OPTIMA CHOCO



PARISIA PINE WOOD



PARISIA BRIGHT WOOD



PARISIA WENGE WOOD







MTA- Make to Available  
This product is immediately available to order.



MTO- Make to Order  
This product is made on order only.



Matt



Wall



Floor



INSIGNIA GRIS



INSIGNIA BROWN



INSIGNIA ARTE DECOR



INSIGNIA STYLE DECOR



INSIGNIA FLORA DECOR



INSIGNIA PETAL DECOR







**MTA**- Make to Available  
This product is immediately available to order.



**MTO**- Make to Order  
This product is made on order only.



Matt



Wall



Floor



ARCHIDI FUSION



ARCHIDI PINE



ARCHIDI TIMBER



ARCHIDI WENGE



FANTASIA GRIS



FANTASIA SKY




FANTASIA NERO




FANTASIA BLUE







FANTASIA WHITE




FANTASIA CREMA



FANTASIA BEIGE



FANTASIA COTTO



FANTASIA CHOCO



FANTASIA RUBY

PUNCH WITH BUFFING FINISH



VELVETTE DECOR

U N I Q U E  
C H A R M



MTA- Make to Available  
This product is immediately available to order.



MTO- Make to Order  
This product is made on order only.



Matt



Wall



Floor



PLATINUM TRAVERTINO



GOLDEN TRAVERTINO









MTA- Make to Available  
This product is immediately available to order.



MTO- Make to Order  
This product is made on order only.



Matt



Wall



Floor



SOFTONE FUSION DECOR



SOFTONE BROWN



SOFTONE SILVER



SOFTONE MOCA



RICHIE BIANCO



RICHIE CREMA



RICHIE GREY



RICHIE BROWN







MTA- Make to Available  
This product is immediately available to order.



MTO- Make to Order  
This product is made on order only.



Matt



Wall



Floor



RAY CHOCO




GLEAM BEIGE



ELEGANTE MARMO



ICONIC MARBLE



INFINIA SATVARIO



MONTE CRISTO



MYRIAD BLUE



LUXURIA LIGHT



MYRIAD OLIVE



LUXURIA BRUNO



MTA- Make to Available  
This product is immediately available to order.




MTO- Make to Order  
This product is made on order only.



VANISH CREMA



NOVA WOOD PINE



VANISH GREY



NOVA WOOD BROWN



VANISH NERO



NOVA WOOD GOLD







MTA- Make to Available  
This product is immediately available to order.



MTO- Make to Order  
This product is made on order only.



Matt Finish



Floor Tiles



4-6% Water Absorption



Scratch Resistant



Abrasion Resistant



Satin Resistant



Anti skid Surface



ANDESROCK CREMA



ANDESROCK BEIGE



ANDESROCK CREMA DÉCOR



ANDESROCK GRIS



ANDESROCK GRIGIO



ANDESROCK GRIS DÉCOR




HARMONY GREY




HARMONY BLACK



HARMONY GREY DECOR



HARMONY BEIGE



HARMONY SAND



HARMONY BEIGE DECOR





MTA- Make to Available  
This product is immediately available to order.



MTO- Make to Order  
This product is made on order only.



Matt Finish



Floor Tiles



4-6% Water Absorption



Scratch Resistant



Abrasion Resistant



Satin Resistant



Anti skid Surface




MTA



SCAN FOR VIRTUAL

CALCATTÀ NATURAL



MTO



SCAN FOR VIRTUAL

URBAN ROYAL GRIGIO




MTA



SCAN FOR VIRTUAL

CALCATTÀ NATURAL DECOR




MTO



SCAN FOR VIRTUAL

STARTEK BIANCO



MTO



SCAN FOR VIRTUAL

STARTEK NERO



MTO



SCAN FOR VIRTUAL

STARTEK NERO DECOR



MTO



SCAN FOR VIRTUAL

AVON GRIS




MTO




SCAN FOR VIRTUAL

AVON GRIGIO



MTO



SCAN FOR VIRTUAL

AVON GRIGIO DECOR




MTO



SCAN FOR VIRTUAL

DRIFT GRIS



MTO



SCAN FOR VIRTUAL

DRIFT GRIGIO



MTO



SCAN FOR VIRTUAL

DRIFT GRIS DECOR







MTA- Make to Available  
This product is immediately available to order.



MTO- Make to Order  
This product is made on order only.



Matt Finish



Floor Tiles



4-6% Water Absorption



Scratch Resistant



Abrasion Resistant



Satin Resistant



Anti skid Surface



MTA



SCAN FOR VIRTUAL

SUPERIO GRIS



MTA



SCAN FOR VIRTUAL

SUPERIO GRIS DECOR




MTA



SCAN FOR VIRTUAL

SUPERIO TAN DECOR



MTA



SCAN FOR VIRTUAL

AZULATE AQUA



MTA



SCAN FOR VIRTUAL

AZULATE BLUE



MTA



SCAN FOR VIRTUAL

AZULATE BLUE ART



MTO



SCAN FOR VIRTUAL

ARTFLOR GRIS DECOR



MTO



SCAN FOR VIRTUAL

ARTFLOR BEIGE DECOR



MTO



SCAN FOR VIRTUAL

ATRIUM GRIS DECOR




MTO



SCAN FOR VIRTUAL

ARTFLOR GRIS



MTO



SCAN FOR VIRTUAL

ARTFLOR BEIGE



MTO



SCAN FOR VIRTUAL

ATRIUM GRIS





MTA- Make to Available  
This product is immediately available to order.



MTO- Make to Order  
This product is made on order only.



Matt Finish



Floor Tiles



4-6% Water Absorption



Scratch Resistant




Abrasion Resistant




Satin Resistant



Anti skid Surface



COCONINO BRIGHT



COCONINO BLUE




LINIOR CREMA DECOR




MTO




SCAN FOR VIRTUAL



COCONINO LIGHT



COCONINO MOCHA




LINIOR CREMA




MTO




SCAN FOR VIRTUAL



ALTAIE BUFF



ALTAIE CHOCO



ALTAIE GRIS



SIERRA CREMA



MTA



SCAN FOR VIRTUAL



BIG TERRAZO BIANCO



MTO



SCAN FOR VIRTUAL



BIG TERRAZO CREMA



MTO



SCAN FOR VIRTUAL





MTA- Make to Available  
This product is immediately available to order.



MTO- Make to Order  
This product is made on order only.



Matt Finish



Floor Tiles



4-6% Water Absorption



Scratch Resistant



Abrasion Resistant



Satin Resistant



Anti skid Surface




IBERIAN ART DÉCOR 1




IBERIAN ART DÉCOR 2



IBERIAN CREMA




IBERIAN TAUPE




IBERIAN CHOCO




IBERIAN GREY



IBERIAN SUNNY



IBERIAN AZULE



IBERIAN AZULE DÉCOR



VIBES BEIGE



VIBES BROWN



IBERIAN BIANCO DÉCOR







ZESTA BIANCO




ZESTA NERO



ZESTA GRIGIO



TRAPO LIGHT



TRAPO DARK




ITALIO BEIGE




AZULATO CREMA



ANGEL LIGHT



ANGEL DARK



SOFIA MARBLE




SWITZ WHITE




GRIS



CEMENTO



SWITZ IVORY



BLUE



KOTA GREEN





MTA- Make to Available  
This product is immediately available to order.



MTO- Make to Order  
This product is made on order only.



Matt Finish



Floor Tiles



4-6% Water Absorption



Scratch Resistant




Abrasion Resistant



Satin Resistant



Anti skid Surface



MTA



SCAN FOR VIRTUAL

PREMIO CREMA



MTA




SCAN FOR VIRTUAL

PREMIO GRIS



MTA



SCAN FOR VIRTUAL

PREMIO GRIGIO




MTA



SCAN FOR VIRTUAL

PREMIO CHOCO




MTA



SCAN FOR VIRTUAL

PREMIO MAPLE



MTA



SCAN FOR VIRTUAL

PREMIO COTTO



MTA



SCAN FOR VIRTUAL

PREMIO SLATE



MTO



SCAN FOR VIRTUAL

PREMIO VERDE



MTA



SCAN FOR VIRTUAL

SANDSTONE BEIGE



MTO



SCAN FOR VIRTUAL

SANDSTONE GREY






UNICO AQUA




UNICO AZUL





UNICO CREMA



UNICO BEIGE




UNICO CHOCO



UNICO NERO



UNICO BROWN



GILT SAND







MTA- Make to Available  
This product is immediately available to order.



MTO- Make to Order  
This product is made on order only.



Matt Finish



Floor Tiles



4-6% Water Absorption



Scratch Resistant




Abrasion Resistant




Satin Resistant




Anti skid Surface



APULIA ALMOND




APULIA WENGE




APULIA NERO




VEDIC BROWN




VEDIC ALMOND




VEDIC GRIS




ALEGRE WALNUT




SAPELE CREMA




SAPELE SILVER



ALEGRE CHOCO




SAPELE RUST



SAPELE NERO










NEOSTICK BEIGE





CHISEL WOOD




KENWOOD MAPLE




GREENHEART ALMOND



GREENHEART BROWN




GREENHEART WENGE





NEOSTICK BEIGE DECOR



CHISEL WOOD DECOR




KENWOOD BROWN




ZIGZIG PINE




FORESTA CHOCO





CHEVRON APPLE




CHEVRON OAK



BOSCHI BROWN



COCOA WENGE



PRESTIGE OAK





MTA- Make to Available  
This product is immediately available to order.



MTO- Make to Order  
This product is made on order only.



Matt Finish



Floor Tiles



4-6% Water Absorption



Scratch Resistant



Abrasion Resistant



Satin Resistant



Anti skid Surface




MUSIC WOOD




KETHRON WOOD



LAMINATO DECOR



MONTE MAPLE



MONTE BEIGE



ALMONDI WOOD



DREAM WOOD



ALASKA WOOD



RHYTHM 11



STRIP WOOD



MAHAGONY WOOD



WINDSOR BROWN DECOR



MATRIX WOOD



PARETE WOOD



WOOD FUSION





HARLEY CLOUDY




HARLEY GRIGIO



HARLEY BEIGE



STONZA BRIGHT



STONZA SUNNY




ANTONE WOOD BROWN



ESPERIO BIANCO




ESPERIO BEIGE




ACCURA CREMA



ESPERIO GRIGIO



ESPERIO BROWN



ACCURA BEIGE




**HD GLISTER** 600x600mm




GLISTER BM 6074



GLISTER BM 6065




GLISTER BM 6128




**MTA- Make to Available**  
 This product is immediately available to order. **MTO- Make to Order**  
 This product is made on order only.

Glossy Floor



GLISTER 6130





GLISTER 6089




GLISTER 6080



**HD GLISTER** 600x600mm


 **MTA - Make to Available**  
This product is immediately available to order.  **MTO - Make to Order**  
This product is made on order only.




GLISTER 6090




GLISTER 6002




GLISTER 6013




GLISTER 6133



GLISTER 6134



GLISTER 6135




GLISTER 6112



GLISTER 6137



GLISTER 6141



GLISTER 6012





GLISTER 6034



GLISTER 6028



 **MTA**- Make to Available  
This product is immediately available to order.


 **MTO**- Make to Order  
This product is made on order only.

 Matt Finish


 Floor Tiles

 Satin Resistant

 Anti skid Surface




PIANTE JACKPINE GRIS



PIANTE CONTORTA NERO



PIANTE WENGE



PIANTE ALMOND



PIANTE NIRMAN WOOD




PIANTE HONEY




PIANTE TEAK



PIANTE NATURAL

 **MTA**- Make to Available  
This product is immediately available to order.

 **MTO**- Make to Order  
This product is made on order only.

 Matt Finish

 Floor Tiles

 Satin Resistant


 Anti skid Surface



PIANTE RICHWOOD



PIANTE CHOCO



PIANTE ALMOND FINESA



PIANTE CHERISH WOOD



PIANTE APE WOOD




PIANTE TRAVENTINO GRIS



PIANTE TRAVENTINO BEIGE




PLAIN COLOUR



5031




PLAIN COLOUR



5051



PRINT



5055




PRINT



5063




PRINT



5054



PRINT



5055



RUSTIC



5055




RUSTIC



5055




TUFFGUARD



5055




PLAIN COLOUR



5055




PRINT



5055



PRINT



5055



TUFFGUARD



5055




TUFFGUARD



5055



RUSTIC



5055




PRINT



5055



PRINT



5055




PRINT



5055



RUSTIC



5055



PRINT



5055



300x300mm PRINT



5055



300x300mm



MTA - Make to Available  
This product is immediately available to order.



MTO - Make to Order  
This product is made on order only.




Matt Finish



Floor Tiles


PLAIN COLOUR



5055




PRINT



5055




PRINT



5055



PRINT



5055




PRINT



5055




DARK



5055




PLAIN COLOUR



5055




PRINT



5055



PRINT



5055



TUFFGUARD



5055




TUFFGUARD



5055



RUSTIC



5055




PRINT



5055



PRINT



5055




PRINT



5055



RUSTIC



5055



PRINT



5055



300x300mm PRINT



5055




PRINT




5055




PRINT



5055



PRINT



5055







600x1200mm HI-TECH TUFF GUARD DIGITAL TILES

CHARACTERISTICS	Requirement as per ISO 13006:2018 0.5% < E ≤ 3.0 Group B1b	Requirement as per IS 15622:2017 0.08% < E ≤ 3.0 Group B1b	MEAN VALUE OF AGL	METHOD OF TESTING
<b>Regulatory Properties</b>				
Deviation In Length & Width	± 0.3%	± 0.1%	± 0.1%	ISO 10545-2 IS13630 -1
Deviation In Thickness	± 5.0%	± 5%	± 4.0%	
Straightness of Edge	± 0.3%	± 0.1%	± 0.1%	
Rectangularity	± 0.3%	± 0.1%	± 0.1%	
Surface Flatness	± 0.4%	± 0.5%	± 0.2%	
Surface Quality	Minimum of 95% of the tiles are to be free from visible defects which can impair the appearance of a major area of tiles	Minimum of 95% of the tiles shall be free from visible defects that would impair the appearance of a major area of tiles	Minimum of 95% of the tiles shall be free from visible defects that would impair the appearance of a major area of tiles	
<b>Physical &amp; Thermal Properties</b>				
Water Absorption % by Wt.	0.5% < E ≤ 3.0%, Individual Max 3.3%	Average 0.08% < E ≤ 3.0%, Individual 3.3% Max	< 3.0%	ISO 10545-3 IS13630-2
MOR in N/mm <sup>2</sup>	Min 30, Individual Min. 27	Average 30, Ind. Min. 27	Avg 32	ISO 10545-4 IS13630-6
Breaking Strength in N	1100 Min for thickness ≥ 7.5mm	1100 Min for thickness ≥ 7.5mm	> 1300	ISO 10545-4 IS13630-6
Bulk Density (gm/cc)	2.0 Min	2.0 Min	2.2	ISO 10545-3 IS13630-2
Resistance to Surface abrasion	Report abrasion class and cycles passed	Class II, Min	Class III, Min	ISO 10545-7 IS13630-11
Mohs Scratch Hardness	N/A	Min, 5	Min, 5	IS13630-13
Co-efficient of Linear thermal expansion from ambient temp to 1000 C (K-1)	Test method available	7x10 <sup>-6</sup> Max	Max 6x10 <sup>-6</sup>	ISO 10545-8 IS13630-4
Thermal Shock Resistance	Test method available	10 Cycle Min	10 Cycle Min	ISO 10545-9 IS13630-5
Moisture Expansion in mm/M	Test method available	0.02 Max	NIL	ISO 10545-10 IS13630-3
Crazing Resistance	Required	4 Cycles at 7.5 Bar, Min	6 Cycle	ISO 10545-11 IS13630-9
Impact Resistance	Test method available	0.55, Min	> 0.55	ISO 10545-5 IS13630-14
Frost Resistance	Required	Required, if agreed to between manufacturer and purchaser	Frost Proof	ISO 10545-12 IS13630-10
<b>Chemical Properties</b>				
Resistance to Staining of Glazed Tiles	Min. Class 3	Class 1, Min.	Class 1	ISO 10545-14 IS13630-8
Resistance to Household and Swimming Pool Chemicals	Minimum B	Min. Class AA	Class AA	ISO 10545-13 IS13630-8
Resistance to Acid & Alkalis (Except HF Acid)	Manufacturer is to State Classification	Class AA	Class AA	ISO 10545-13 IS13630-8

Packing Specification

Size (mm)	Thickness (mm)	Weight (Kg.)	No. of Tiles / Box	Area Sq. mtr./ Box
600x1200mm	8.5 mm	27.0 kg.	2 pcs.	1.44m <sup>2</sup>



CHARACTERISTICS	Requirement as per ISO 13006:2018 Gr B11a 3.0 ≤ E ≤ 6.0%	Requirement as per IS 15622:2017 Gr B11a 3.0 ≤ E ≤ 6.0%	AGL Value	Test Method
<b>(A) DIMENSION &amp; SURFACE QUALITY</b>				
Deviation In Length & Width	± 0.3%, ± 1.0 mm	± 0.1%	± 0.1%	ISO 10545 Part-2 IS 13630 Part-1
Deviation In Thickness	± 5.0%, ± 0.5 mm	± 5.0%	± 3.0%	ISO 10545 Part-2 IS 13630 Part-1
Straightness of Edge	± 0.3%, ± 0.8 mm	± 0.1%	± 0.1%	ISO 10545 Part-2 IS 13630 Part-1
Rectangularity	± 0.3%, ± 1.5 mm	± 0.1%	± 0.1%	ISO 10545 Part-2 IS 13630 Part-1
Surface Flatness	± 0.4%, ± 1.8 mm	± 0.5%	± 0.2%	ISO 10545 Part-2 IS 13630 Part-1
Surface Quality	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	ISO 10545 Part-2 IS 13630 Part-1
<b>(B) PHYSICAL &amp; THERMAL PROPERTIES</b>				
Water Absorption % By Wt.	3.0 ≤ Eb ≤ 6.0, Ind. 6.5 Max.	3.0 ≤ Eb ≤ 6.0 Ind. 6.2 Max.	4.0-5.5%	ISO 10545 Part-3 IS 13630 Part-2
Flexural Strength (MOR) In N/mm <sup>2</sup>	Avr. 22, Ind. Min. 20	Avr.22, Ind. Min. 20	≥ 27 N/mm <sup>2</sup>	ISO 10545 Part-4 IS 13630 Part-6
Breaking Strength in N	1000 N Min.	1000 N Min.	> 1200 N	ISO 10545 Part-4 IS 13630 Part-6
Resistance to Surface Abrasion	Manufacturer to State Class	PEI II Min.	PEI III (Glossy) PEI IV & IV*(Matt)	ISO 10545 Part-7 IS 13630 Part-11
Co-efficient of Linear Thermal Expansion from ambient temp to 100°C (K-1)	9x10 <sup>-6</sup> Max.	9x10 <sup>-6</sup> Max.	≤ 9x10 <sup>-6</sup>	ISO 10545 Part-8 IS 13630 Part-4
Thermal Shock Resistance	10 Cycles Min.	10 Cycles Min.	No Damage after 10 Cycles	ISO 10545 Part-9 IS 13630 Part-5
Moisture Expansion in mm/M	Test Method Available	0.03 Max.	Nil	ISO 10545 Part-10 IS 13630 Part-3
Crazing Resistance	Required	4 Cycles at 7.5 bar Min.	Resistance	ISO 10545 Part-11 IS 13630 Part-9
Frost Resistance	Resistance	Resistance	Resistance	ISO 10545 Part-12 IS 13630 Part-10
Moh'S Scratch Hardness	Min. 5	Min. 4	Min. 5	EN 101 IS 13630 Part-13
<b>(C) CHEMICAL PROPERTIES</b>				
Resistance To House hold Chemicals	No Damage	Min. Class AA	Class AA	ISO 10545 Part-13 IS 13630 Part-8
Resistance To Acids & Alkalis (Except HF Acid)	No Damage	Min. Class AA	Class AA	ISO 10545 Part-13 IS 13630 Part-8
Stain Resistance	Min. Class 3	Min. Class 1	Class 1	ISO 10545 Part-14 IS 13630 Part-8

Packing Specification

Size (mm)	Thickness (mm)	Weight (Kg.)	No. of Tiles / Box	Area Sq. mtr./ Box
600x600mm	9.5 mm	27.5 kg.	04 pcs.	1.44m <sup>2</sup>
195x1000mm	9.3 mm	19.5 kg.	05 pcs.	0.975m <sup>2</sup>

# HD GLISTER

CHARACTERISTICS	Requirement as per ISO 13006:2018 Gr BIb 0.5% ≤ E ≤ 3.0%	Requirement as per IS 15622:2017 Gr BIb 0.08% ≤ E ≤ 3.0	AGL Value	Test Method
<b>(A) DIMENSION &amp; SURFACE QUALITY</b>				
Deviation In Length & Width	± 0.3%, ± 1.0 mm	± 0.1%	± 0.1%	ISO 10545 Part-2 IS 13630 Part-1
Deviation In Thickness	± 5.0%, ± 0.5 mm	± 5.0%	± 3.0%	ISO 10545 Part-2 IS 13630 Part-1
Straightness of Edge	± 0.3%, ± 0.8 mm	± 0.1%	± 0.1%	ISO 10545 Part-2 IS 13630 Part-1
Rectangularity	± 0.3%, ± 1.5 mm	± 0.1%	± 0.1%	ISO 10545 Part-2 IS 13630 Part-1
Surface Flatness	± 0.4%, ± 1.8 mm	± 0.5%	± 0.2%	ISO 10545 Part-2 IS 13630 Part-1
Surface Quality	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	ISO 10545 Part-2 IS 13630 Part-1
Glossiness*	-	-	> 85	Glossmeter
<b>(B) PHYSICAL &amp; THERMAL PROPERTIES</b>				
Water Absorption % By Wt.	0.5 ≤ E ≤ 3.0 %	0.08 ≤ E ≤ 3.0 %	1.0-2.0%	ISO 10545 Part-3 IS 13630 Part-2
Flexural Strength (MOR) In N/mm <sup>2</sup>	Avr. 30, Ind. Min. 27	Avr. 30, Ind. Min. 27	≥ 32 N/mm <sup>2</sup>	ISO 10545 Part-4 IS 13630 Part-6
Breaking Strength in N	1100 N Min.	1100 N Min.	> 1200 N	ISO 10545 Part-4 IS 13630 Part-6
Bulk Density (gm/cc)	2.0 Min.	2.0 Min.	≥ 2.1	ISO 10545 Part-3 IS 13630 Part-2
Resistance to Surface Abrasion	Manufacturer to State Class	PEI II Min.	Min. PEIII	ISO 10545 Part-7 IS 13630 Part-11
Co-efficient of Linear Thermal Expansion from ambient temp to 100°C (K-1)	9x10 <sup>-6</sup> Max.	7x10 <sup>-6</sup> Max.	≤ 6x10 <sup>-6</sup>	ISO 10545 Part-8 IS 13630 Part-4
Thermal Shock Resistance	10 Cycles Min.	10 Cycles Min.	No Damage after 10 cycles	ISO 10545 Part-9 IS 13630 Part-5
Moisture Expansion in mm/M	Test Method Available	0.02 Max.	Nil	ISO 10545 Part-10 IS 13630 Part-3
Craze Resistance	Required	4 Cycles at 7.5 bar Min.	Resistance	ISO 10545 Part-11 IS 13630 Part-9
Frost Resistance	Resistance	Resistance	Resistance	ISO 10545 Part-12 IS 13630 Part-10
Moh'S Scratch Hardness	Min. 5	Min. 5	≤ 5	EN 101 IS 13630 Part-13
<b>(C) CHEMICAL PROPERTIES</b>				
Resistance To Household Chemicals	No Damage	Min. Class AA	Class AA	ISO 10545 Part-13 IS 13630 Part-8
Resistance To Acids & Alkalis (Except HF Acid)	No Damage	Min. Class AA	Class AA	ISO 10545 Part-13 IS 13630 Part-8
Stain Resistance	Min. Class 3	Min. Class 1	Resistance	ISO 10545 Part-14 IS 13630 Part-8

\* PPT Finish

## Packing Specification

Size (mm)	Thickness (mm)	Weight (Kg.)	No. of Tiles / Box	Area Sq. mtr./ Box
600x600mm	8.2 mm	26.5 kg.	04 pcs.	1.44m <sup>2</sup>

# Ceramic FLOOR TILES | UNRECTIFIED



CHARACTERISTICS	Requirement as per ISO 13006:2018 Gr BIla 3.0 ≤ E ≤ 6.0%	Requirement as per IS 15622:2017 Gr BIla 3.0 ≤ E ≤ 6.0%	AGL Value	Test Method
<b>(A) DIMENSION &amp; SURFACE QUALITY</b>				
Deviation In Length & Width	± 0.6%, ± 2.0 mm	± 0.4%	± 0.4%	ISO 10545 Part-2 IS 13630 Part-1
Deviation In Thickness	± 5.0%, ± 0.5 mm	± 5.0%	± 3.0%	ISO 10545 Part-2 IS 13630 Part-1
Straightness of Edge	± 0.5%, ± 1.5 mm	± 0.3%	± 0.3%	ISO 10545 Part-2 IS 13630 Part-1
Rectangularity	± 0.5%, ± 2.0 mm	± 0.3%	± 0.3%	ISO 10545 Part-2 IS 13630 Part-1
Surface Flatness	± 0.5%, ± 2.0 mm	± 0.5%	± 0.4%	ISO 10545 Part-2 IS 13630 Part-1
Surface Quality	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	ISO 10545 Part-2 IS 13630 Part-1
<b>(B) PHYSICAL &amp; THERMAL PROPERTIES</b>				
Water Absorption % By Wt.	3.0 ≤ Eb ≤ 6.0, Ind. 6.5 Max.	3.0 ≤ Eb ≤ 6.0 Ind. 6.2 Max.	5.0-6.0%	ISO 10545 Part-3 IS 13630 Part-2
Flexural Strength (MOR) In N/mm <sup>2</sup>	Avr. 22, Ind. Min. 20	Avr.22, Ind. Min. 20	≥ 25 N/mm <sup>2</sup>	ISO 10545 Part-4 IS 13630 Part-6
Breaking Strength in N	600 N Min.	600 N Min.	> 800 N	ISO 10545 Part-4 IS 13630 Part-6
Resistance to Surface Abrasion	Manufacturer to State Class	PEI II Min.	Min. III	ISO 10545 Part-7 IS 13630 Part-11
Co-efficient of Linear Thermal Expansion from ambient temp to 100°C (K -1)	9x10 <sup>-6</sup> Max.	9x10 <sup>-6</sup> Max.	≤ 9x10 <sup>-6</sup>	ISO 10545 Part-8 IS 13630 Part-4
Thermal Shock Resistance	10 Cycles Min.	10 Cycles Min.	No Damage after 10 Cycles	ISO 10545 Part-9 IS 13630 Part-5
Moisture Expansion in mm/M	Test Method Available	0.03 Max.	0.02 Max.	ISO 10545 Part-10 IS 13630 Part-3
Craze Resistance	Required	4 Cycles at 7.5 bar Min.	Resistance	ISO 10545 Part-11 IS 13630 Part-9
Frost Resistance	Resistance	Resistance	Resistance	ISO 10545 Part-12 IS 13630 Part-10
Moh'S Scratch Hardness	Min. 5	Min. 4	Min. 4	EN 101 IS 13630 Part-13
<b>(C) CHEMICAL PROPERTIES</b>				
Resistance To Household Chemicals	No Damage	Min. Class AA	Class AA	ISO 10545 Part-13 IS 13630 Part-8
Resistance To Acids & Alkalis (Except HF Acid)	No Damage	Min. Class AA	Class AA	ISO 10545 Part-13 IS 13630 Part-8
Stain Resistance	Min. Class 3	Min. Class 1	Class 1	ISO 10545 Part-14 IS 13630 Part-8

\*\*Not Applicable for structured Tiles

## Packing Specification

Size (mm)	Thickness (mm)	Weight (Kg.)	No. of Tiles / Box	Area Sq. mtr./ Box
300x300mm (Unrectified)	7.2 mm	13.1 kg.	10 pcs.	0.90m <sup>2</sup>


CHARACTERISTICS	Requirement as per ISO 13006:2018 Gr BIIa 3.0 ≤ E ≤ 6.0%	Requirement as per IS 15622:2017 Gr BIIa 3.0 ≤ E ≤ 6.0%	AGL Value	Test Method
<b>(A) DIMENSION &amp; SURFACE QUALITY</b>				
Deviation In Length & Width	± 0.3%, ± 1.0 mm	± 0.1%	± 0.1%	ISO 10545 Part-2 IS 13630 Part-1
Deviation In Thickness	± 5.0%, ± 0.5 mm	± 5.0%	± 3.0%	ISO 10545 Part-2 IS 13630 Part-1
Straightness of Edge	± 0.3%, ± 0.8 mm	± 0.1%	± 0.1%	ISO 10545 Part-2 IS 13630 Part-1
Rectangularity	± 0.3%, ± 1.5 mm	± 0.1%	± 0.1%	ISO 10545 Part-2 IS 13630 Part-1
Surface Flatness	± 0.4%, ± 1.8 mm	± 0.5%	± 0.25%	ISO 10545 Part-2 IS 13630 Part-1
Surface Quality	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	ISO 10545 Part-2 IS 13630 Part-1
<b>(B) PHYSICAL &amp; THERMAL PROPERTIES</b>				
Water Absorption % By Wt.	3.0 ≤ Eb ≤ 6.0, Ind. 6.5 Max.	3.0 ≤ Eb ≤ 6.0 Ind. 6.2 Max.	5.0-6.0%	ISO 10545 Part-3 IS 13630 Part-2
Flexural Strength (MOR) In N/mm <sup>2</sup>	Avr. 22, Ind. Min. 20	Avr.22, Ind. Min. 20	≥ 25 N/mm <sup>2</sup>	ISO 10545 Part-4 IS 13630 Part-6
Breaking Strength in N	1000 N Min.	1000 N Min.	> 1000 N	ISO 10545 Part-4 IS 13630 Part-6
Resistance to Surface Abrasion	Manufacturer to State Class	PEI II Min.	Min. III	ISO 10545 Part-7 IS 13630 Part-11
Co-efficient of Linear Thermal Expansion from ambient temp to 100°C (K <sup>-1</sup> )	9x10 <sup>-6</sup> Max.	9x10 <sup>-6</sup> Max.	≤ 9x10 <sup>-6</sup>	ISO 10545 Part-8 IS 13630 Part-4
Thermal Shock Resistance	10 Cycles Min.	10 Cycles Min.	No Damage after 10 Cycles	ISO 10545 Part-9 IS 13630 Part-5
Moisture Expansion in mm/M	Test Method Available	0.03 Max.	Nil	ISO 10545 Part-10 IS 13630 Part-3
Crazing Resistance	Required	4 Cycles at 7.5 bar Min.	Resistance	ISO 10545 Part-11 IS 13630 Part-9
Frost Resistance	Resistance	Resistance	Resistance	ISO 10545 Part-12 IS 13630 Part-10
Moh'S Scratch Hardness	Min. 5	Min. 4	Min. 4	EN 101 IS 13630 Part-13
<b>(C) CHEMICAL PROPERTIES</b>				
Resistance To House hold Chemicals	No Damage	Min. Class AA	Class AA	ISO 10545 Part-13 IS 13630 Part-8
Resistance To Acids & Alkalis (Except HF Acid)	No Damage	Min. Class AA	Class AA	ISO 10545 Part-13 IS 13630 Part-8
Stain Resistance	Min. Class 3	Min. Class 1	Class 1	ISO 10545 Part-14 IS 13630 Part-8

\*\*Not Applicable for structured Tiles

**Packing Specification**

Size (mm)	Thickness (mm)	Weight (Kg.)	No. of Tiles / Box	Area Sq. mtr./ Box
397x397mm	8.2 mm	13.1 kg.	05 pcs.	0.79m <sup>2</sup>
397x397mm	8.2 mm	13.7 kg.	06 pcs.	0.94m <sup>2</sup>

**UNDERSTANDING ICONS**



**APPLICATION**



**NOTES**

- All Technical Specifications in This Catalogue are for Premium Grade Material only.
  - SHADE/SIZE VARIATION are inherent characteristics to ceramics. Certain products purposely have variations which are part of design & process. The same have been indicated.
  - It is recommended to blend tiles by mixing tiles from various boxes & check for natural hue before fixing the tiles.
  - It is recommended to check the tiles before laying/fixing. Quality standards cover 1st/Premium Quality only.
  - Company's liability is limited on material that has not been laid.
  - NO COMPLAINT SHALL BE ENTERTAINED ON TILES ALREADY FIXED/LAID.
  - The liability is also limited to the material supplied by the company; no other claim is entertained under any circumstances.
  - No complaint is entertained on decoration done on tiles, other than the ones done by Asian Granito India Ltd.
- GENERAL NOTE : Any complaint must be brought to the company's notice within 10 days of purchase & before fixing of tiles.

**How to avoid defects & complaints :**

- Use good quality Tiles
- Choose good quality Tiles, with proper consideration to area intended of usage.
- Avoid careless laying of Tiles
- Avoid poor maintenance-for instance, by cleaning with strong Chemicals or with abrasive equipment e.g. metallic scrubber
- Always keep Tiled area clean & ensure dusting/mopping regularly
- Put Doormats/Foot-mats at all strategic locations to avoid loose debris/dust from entering the Tiled area

**List of Detergents For Removal of Stain**

STAIN (Created By)	Beer	Blood	Calcar	Cement	Cigarette	Soft Drinks	Coffee	Edible Oil	Glue	Ice Cream	Ink	Juices	Marker Ink	Nicotine	Paints	Resin	Rust	Tar	Tea	Turmeric	Wine
SOLVENTS (Turpentine, acetone, trichloroety - line etc.)								•	•		•		•		•			•			
SODIUM HYPO (Chlorite (NaOCL))												•								•	
ACIDS DILUTED (Hydrochloric acid <sup>1</sup> )			•	•	•						•			•	•		•			•	
ALKALI (Sodium hydroxide/potassium hydroxide)	•	•				•	•			•											•

\*Commercial grade shall not be used

DISCLAIMER : Asian Granito India Ltd. reserves the right to delete & amend either totally or partially, any of the colors, shapes, sizes, references and other technical specifications contained in this catalogue at anytime. The colors shown of tiles in this catalogue are purely illustrative and limited to printing process. Please refer actual sample before final selection. The details of sizes, colors, references should be verified for typographical errors. All complaints need to be reported within 10 days of purchase. Always follow instructions to avoid complaint due to bad masonry.



AGL'S BIGGEST LUXURY TILE ARCADE AHMEDABAD

**GUJARAT**

■ **Corp. Office - Ahmedabad**  
**ASIAN GRANITO INDIA LTD.**  
 202, Dev Arc, Opp. Iskcon Temple,  
 S. G. Highway, Ahmedabad - 380 015  
 Gujarat (INDIA)  
 Phone: +91 79 66125500/698  
 Toll Free: 1800 123 3455  
 E-mail: info@aglasiangranito.com

■ **Display Centre - Ahmedabad**  
**AGL Luxury Tile Arcade**  
 S.G. Highway, Nr. Gota Cross Road,  
 Beside Gota over bridge, Ahmedabad - 382481.  
 Mobile: 98258 03713 / 99099 29920  
 E-mail: asianworld.amd@aglasiangranito.com

■ **AGL Office - Morbi**  
 B - 26, Parshwanath Complex-1  
 Opp. kuber Cinema, 8-A National Highway,  
 Lalpar Road, Morbi - 363642.  
 Mobile: 9825802077  
 E-mail: aglmorbi@aglasiangranito.com

■ **AGL Export House - Morbi**  
 Ch-5, Eden Ceramic City,  
 Opp.Honest Hotel, National Highway,  
 Lalpar Road Morbi - 363642.  
 Mobile: 99799 90591  
 E-mail: exportmorbi@aglasiangranito.com

**RAJASTHAN**

■ **AGL Office - Jaipur**  
 Lower Ground, D-5, Vaishali Nagar,  
 Jaipur, Rajasthan - 302021  
 Mobile: 80085 03660 / 93144 39930

**MADHYA PRADESH**

■ **AGL Office - Indore**  
 3rd Floor, Plot No 101, WB Scheme No. 94,  
 Sector - B, Opp. HDFC Bank, Nr. Bombay Hospital,  
 Indore - MP - 452010  
 Mobile: 99092 62533 / 73140 06670  
 E-mail: acctindore@aglasiangranito.com

**MAHARASHTRA**

■ **AGL Display Centre - Mumbai**  
 A- 402, Citi Point, Nr. kohinoor Hotel,  
 Opp. ICICI Bank, J.B. Nagar,  
 Chakala Metro Station, Andheri (East),  
 Mumbai - 400 059.  
 Mobile: 93214 95229  
 E-mail: mumbaishowroom@aglasiangranito.com

■ **AGL Display Center - Mumbai**  
**(Marblex & Grestek)**  
 Gala Impecca, Gr. Floor, Mathuradas VasANJI Rd,  
 Next to Caurtyard Marriott, J. B. Nagar,  
 Kurla-Andheri Road, Andheri (East) - 400059  
 Mobile : 7600098595

**AGL Display Center - Pune**

Capital Square, 1st & 2nd floor, Plot No.5,  
 Nr. Laxminarayan Sweets, Industrial Estate,  
 Mukund Nagar, Pune - 411037 Maharashtra.  
 Mobile : 93717 65505

**TAMIL NADU**

■ **AGL Office - Trichy**  
 Mark Diamond Residency, No-36,  
 V O C Road, cantonment. Trichy - 620001  
 Mobile: 90161 13976

■ **AGL Office - Coimbatore**  
 No .70, Dr. Alagappa Road, Tatabad.  
 Coimbatore - 641 012  
 Mobile: 90161 13976

**TELANGANA**

■ **AGL Display Centre - Hyderabad**  
**(Marblex & Grestek)**  
 202 Kurve Elite, 2nd Floor, 8-3-833/58 & 47,  
 Plot No. 58, Phase-1, Kamala Puri Colony Main Rd,  
 Opp. Krishe Meadows, Hyderabad-500073  
 Mobile: 96420 00336 / 77779 15632  
 E-mail: hydgv1@aglasiangranito.com

■ **AGL Display Centre - Hyderabad**  
 # 8-2-294/82,Plot No. 39, Road No. 5,  
 JubileeHills Land Mark, Near Venkatagiri Bustop.  
 (Dominos Pizza) Metro Pillar No.3,  
 Hyderabad-500033  
 Mobile: 96420 11146  
 E-mail: hydshowroom@aglasiangranito.com

**KARNATAKA**

■ **AGL Display Centre - Bangalore**  
**Asian Granito India Ltd., Region Office**  
 Brahmananda Court, No.37/17, Nr. ICIC Bank,  
 Lalbagh Road, Bangaluru - 560027 Karnataka  
 Mobile: 81605 21204  
 E-mail: bangloreshowroom@aglasiangranito.com

**KERALA**

■ **AGL Display Centre - Kochin**  
 No.51/2910 D2 Adjacent To Bread World,  
 Thykoodam Bridge Service Road,  
 Vyttila Kochin - 682019  
 Mobile: 80866 61920 / 78618 09641  
 E-mail: cochinshowroom@aglasiangranito.com

**WEST BENGAL**

■ **AGL Display Centre - Kolkata**  
 5th Floor, Office No. 5A, PS SOLARIS Building,  
 113/H, Opp. Flaming Hospital. Matheswarta Rd.  
 Topsia. Kolkata 7000046.  
 Mobile: 85840 65565  
 E-mail: kolkattashowroom@aglasiangranito.com

**ODISHA**

■ **AGL Office - Odisha**  
 Plot No-83/C, Jayadurga Nagar Bomikhal,  
 Bomikhal, Cuttack-Puri Road,  
 Bhubaneswar-751006  
 Mobile: 78618 09594 / 78944 35425

**UTTAR PRADESH**

■ **AGL Display Centre - Noida**  
 F-15, Ground Floor, Sector 8,  
 Gautam Buddha Nagar,  
 Noida - 201301 Uttar Pradesh  
 Mobile: 7861806229

**PUNJAB**

■ **AGL Office - Chandigarh**  
 CCC Chandighar City Center, Block A 3rd Floor,  
 Soho 325, Vip Road, Near Metro Zirakpur,  
 Chandigarh Punjab-140603  
 Mobile : 93163 13880 / 99882 22471