



Power of Desire



SOMANY

Somany Ceramics Limited : Noida: F-36, Sector-6, Ph.: 0120-4627900.
Ahmedabad: 601 to 606, 6th floor, Aalps Euphoria, Opp. Adani CNG Pump, B/s. Gota Flyover,
S.G. Highway, Ahmedabad, Gujarat-382481, Ph.: 079-27661103 / 27661104
Registered office: 2, Red Cross Place, Kolkata - 700001; Ph.(033) 22487406/5913
www.somanyceramics.com | e-mail marketing@somanyceramics.com

Toll Free No. 1800-103-0004 (Timing-10:00am to 6:30pm; Mon-Fri)



Visit us at:
www.somanyceramics.com



Find us at:
www.facebook.com/SomanyCeramic



Find us at:
www.twitter.com/SomanyCeramic



Find us at:
www.instagram.com/SomanyCeramics



DURAGRES / CAT / SEPTEMBER 2023



UNIT - 3 | FOR ALL INDIA

SOMANY

Tiles | Bathware

ZAMEEN SE JUDEY

**GLAZED
VITRIFIED
TILES**

COLLECTION

300x600mm | 298x600mm
298x298mm

VIVO | KALAHARI
WALL & FLOOR TILES
GLAD STONE

GLAZED
VITRIFIED
TILES
COLLECTION



Reimagine Space with
Chic Perception

INDEX

<p>VIVO <i>Collection</i> 300X 600MM</p>	<p>Page No. 24</p>	<p>KALAHARI WALL & FLOOR TILES 298X600MM 298X298MM</p>	<p>Page No. 40</p>
<p>Page No. 06</p>	<p>KALAHARI WALL & FLOOR TILES 300X 600MM</p>	<p>Page No. 30</p>	<p>CLAD STONE 300X 600MM</p>


Introducing an extraordinary collection that embodies architectural elegance. Somany Duragres offers a wide range of styles and designs. Kalhari wall and floor tiles present the finest selection of wall and floor tiles, boasting rich colour variations and captivating textures. The cladding stone collection captures the essence of nature with stunning stone and rock effects. The GVT collection creates a mesmerising focal point, emanating sheer sophistication. The Kalhari Elite collection adds a touch of depth and visual allure to walls and floors. To summarise, this remarkable collection sets the stage for an artistic ambiance like no other.

APPLICATION AREA



COMMERCIAL AREA SHOP AREA SHOPPING MALL TERRACE CAFÉ

300X600MM



VIVO *Collection*

The GVT collection showcases unique and eye-catching designs that will make a statement in any room, giving it a contemporary look. A calm aesthetic enhances the atmosphere of the interior and gives it a distinctive appearance.



ECO FRIENDLY



WALL TILES



FLOOR TILES



INTERIOR



EXTERIOR



TEMPERATURE RESISTANT



DEEP PUNCH

300x
600mm

HIGH GLOSS
FINISH

FULL POLISH
FINISH



Vivo Lucido Ardoz White



Vivo Byron Natural FP



Vivo Ceffon Calacatta FP



Vivo Lucido Ardoz Décor



Vivo Lucido Byron Decor 01



Vivo Lucido Ceffon Calacatta HL 01



Vivo Lucido Ardoz Blue



Vivo Lucido Byron Tan



Vivo Byron Natural FP | Vivo Lucido Byron Decor 01
Vivo Lucido Byron Tan

300x
600mm

HIGH GLOSS
FINISH

FULL POLISH
FINISH



DURAGRES
Timeless Elegance




Vivo Cliff Marfil FP



Vivo Davinci Marfil FP



Vivo Estilo Bianco FP



Vivo Glacier White FP



Vivo Grizzly Light FP



Vivo Laurenza Light FP



Vivo Lucido Cliff Roso Décor 01



Vivo Lucido Davinci Black HL 01



Vivo Lucido Estilo Azure Decor 01



Vivo Lucido Glacier White HL



Vivo Lucido Grizzly HL 01



Vivo Lucido Laurenza Decor 01



Vivo Lucido Cliff Roso




Vivo Lucido Davinci Black



Vivo Lucido Estilo Azure



Vivo Lucido Glacier White Kitchen HL 01



Vivo Lucido Grizzly Dark



Vivo Lucido Laurenza Dark

300x
600mm

HIGH GLOSS
FINISH

FULL POLISH
FINISH



Vivo Lavina Bianco FP



Vivo Lucido Paladio Crema



Vivo Lucido Paladio Crema



Vivo Lucido Lavina Decor 01



Vivo Lucido Paladio Bronze Decor 01



Vivo Lucido Paladio Kitchen HL 01




Vivo Lucido Lavina Oxford Blue



Vivo Lucido Paladio Bronze



Vivo Lucido Paladio Bronze



An
Enchanting
Luxury

Vivo Lucido Paladio Crema | Vivo Lucido Paladio Bronze Decor 01
Vivo Lucido Paladio Bronze

300x
600mm

HIGH GLOSS
FINISH

FULL POLISH
FINISH




Vivo Moreno Natural FP



Vivo Orlin Super White FP



Vivo Lucido Moreno Décor 01



Vivo Lucido Orlin Decor 01



Vivo Lucido Moreno Brown



Vivo Lucido Orlin Super Black

FULL POLISH
FINISH

DURAGRES
Timeless Elegance



Vivo Satuario FP



Vivo Cava Grey Light FP



Vivo Finley Silver FP



Vivo Statuario Decor 01 FP



Vivo Cava Grey Decore FP



Vivo Finley Décor FP



Vivo Amets Silver FP



Vivo Cava Grey Dark FP



Vivo Finley Grey FP

300x
600mm

FULL POLISH
FINISH



Vivo Gerelt Grey FP



Vivo Matera Light FP



Vivo Raylie Crema FP



Vivo Gerelt Décor FP



Vivo Matera Decor 01 FP



Vivo Raylie Décor FP



Vivo Gerelt Black FP



Vivo Matera Dark FP



Vivo Raylie Brown FP



The
Captivating
Essence

Vivo Raylie Crema FP | Vivo Raylie Décor FP
Vivo Raylie Brown FP

300x
600mm

FULL POLISH
FINISH



Vivo Vieno Light FP



Vivo Yanick Ice FP



Vivo Vieno Décor FP



Vivo Yanick Décor FP



Vivo Vieno Dark FP



Vivo Yanick Dark Grey FP

MATT
FINISH



Vivo Argent Grey Light



Vivo Argent Nero HL



Vivo Argent Nero



Vivo Calcutta Silk

SATIN



Vivo Calcutta Silk Décor

SATIN



Vivo Statuario

SATIN



Vivo Pizarra Bianco



Vivo Pizarra Beige



Vivo Pegasus Grey Light

DURAGRES
Timeless Elegance

300x
600mm

MATT
FINISH



Vivo Plazo Bianco



Vivo Tropical Gris



Vivo Plazo Beige



Vivo Tropical Nero



Vivo Plazo Beige

300x
600mm



CARVING FINISH



Vivo Imp Asahi Grey



Vivo Imp Asahi Décor



Vivo Imp Asahi Gris

WOOD FINISH



Vivo Haris Fog Wood Grey



Vivo Haris Wood Décor



Vivo Haris Charcoal Grey



300X600MM



KALAHARI
WALL & FLOOR TILES

Our new Kalahari wall and floor tiles are crafted with the highest quality materials, ensuring durability and long-lasting beauty, allowing you to create a cohesive look throughout your space.


-  ECO FRIENDLY
-  WALL TILES
-  FLOOR TILES
-  INTERIOR
-  EXTERIOR
-  TEMPERATURE RESISTANT
-  DEEP PUNCH

300x
600mm


RUSTIC
FINISH



Kalahari Kenzia Anthrazit



Kalahari Kenzia Cotto



Kalahari Kenzia Cotto

300x
600mm

RUSTIC
FINISH



KALAHARI
WALL & FLOOR TILES

Kalahari Lambris Cotto



Kalahari Lambris Grigio



Kalahari Lambris Gris



Kalahari Pietra Cotto



Kalahari Pietra Mashroom




Kalahari Pietra Nero



Kalahari Pietra Grey



Kalahari Pietra Gris



298X298MM | 298X600MM

KALAHARI
WALL & FLOOR TILES

The New Collection from Somany Duragres, Kalahari Elite. This collection features a diverse range of colours, patterns, and textures to suit any design aesthetic.



ECO FRIENDLY



WALL TILES



FLOOR TILES



INTERIOR



EXTERIOR



TEMPERATURE RESISTANT



DEEP PUNCH

298x
298mm

298x
600mm

RUSTIC
FINISH



Kalahari Elite Arteon Ash

V2



Kalahari Elite
Decor Arteon Ash

*Random (1 Phase)

Kalahari Elite Arteon Rosso

V2



Kalahari Elite
Decor Arteon Rosso

*Random (4 Phase)



Kalahari Elite Arteon Ash
Kalahari Elite Decor Arteon Ash

298x
298mm | 298x
600mm | RUSTIC
FINISH



KALAHARI
WALL & FLOOR TILES

Kalahari Elite Arteon Nero V2



Kalahari Elite Decor Arteon Nero *Random (4 Phase)

Kalahari Elite Arteon Bruno V2



Kalahari Elite Decor Arteon Bruno *Random (4 Phase)

Kalahari Elite Caddy Beige V4



Kalahari Elite Decor Caddy Beige *Random (1 Phase)

Kalahari Elite Sonet Grey V4



Kalahari Elite Decor Sonet Grey *Random (6 Phase)

298x
298mm

298x
600mm

RUSTIC
FINISH



Kalahari Elite Tigan Grey

V4



Kalahari Elite
Decor Tigan Grey

*Random (6 Phase)

Kalahari Elite Virtus Taupe

V4



Kalahari Elite
Decor Virtus Taupe

*Random (4 Phase)



298x
298mm

298x
600mm

RUSTIC
FINISH



Kalahari Elite Virtus Bianco

V4



Kalahari Elite
Decor Virtus Bianco

*Random (4 Phase)

Kalahari Elite Virtus Brown

V4



Kalahari Elite
Decor Virtus Brown

*Random (4 Phase)



Kalahari Elite Virtus Brown
Kalahari Elite Decor Virtus Brown

300X600MM

CLAD STONE

The new cladding stone collection, from sleek and modern to rustic and traditional, offers options to complement any interior style. The rock and stone textures give a natural look to the designs.



ECO FRIENDLY



WALL TILES



INTERIOR



EXTERIOR



TEMPERATURE RESISTANT



DEEP PUNCH

300x
600mm

RUSTIC
FINISH



Albris Beige



Albris Brown



Albris Crema



Albris Grey



Albris Grey

300x
600mm

RUSTIC
FINISH




CLAD STONE

Civilta Beige




Civilta Brown



Cobble Brown



Crystallo Brown




Cobble Beige



Cobble Bianco



Crystallo Grey



Crystallo Natural




300x
600mm

RUSTIC
FINISH



Emerald Stone Brown



Emerald Stone Grey



Emerald Stone Crema



Emerald Stone Grey

300x
600mm

RUSTIC
FINISH

CLAD STONE



Elbert Stone Brown

NEW




Elbert Stone Grey

NEW



Fornodo Grey Dark



Fornodo Grey Light




Felsen Brown



Felsen Grey



Grivola Cotto



Glanz Albris Gris




300x
600mm

RUSTIC
FINISH



Kronos Rust



Kronos Natural



Marlon Grey



Marlon Brown



*Random (More Than 3 Phases)



Marlon Grey

300x
600mm

RUSTIC
FINISH


CLAD STONE




Minestone Crema



Minestone Gris



Minestone Cotto



Muretto Natura



Muretto Grey




300x
600mm

RUSTIC
FINISH



Ohio Stone Brown

NEW




Ohio Stone Crema

NEW




Ohio Stone Nero

NEW



Ohio Stone Grey

NEW



300x
600mm

RUSTIC
FINISH

CLAD STONE



Panelo Cotto



Panelo Beige



Panelo Rust



Rodano Beige



Rodano Grey



Roteck Beige



Roteck Grey



300x
600mm

RUSTIC
FINISH



Stroke Stone Crema

NEW




Stroke Stone Beige

NEW




Stroke Stone Grey

NEW



Stroke Stone Nero

NEW



Stroke Stone Beige

300x
600mm

RUSTIC
FINISH



Strident Brown



Rodado Verde





VEILCRAFT (VC) SHIELD

Not only look and style; the buzz word for the Gen X tile is timeless elegance. Here comes the revolutionary patented "VeilCraft (VC) Shield" technology, a 'high abrasion resistant glaze composition', known as VC (VeilCraft) Shield. This is the first ever patented technology in Indian Ceramic Industry. This not only gives you the perfect aesthetics for your space but also the lifelong protection to your floor.

Result Of The abrasion test at 25,000 revolutions as per the PEI Methodology



Natural Granite



Marble



Traditional Tile



VC Shield Tile



Polished Vitrified Tile

Patent Certificate for "High Abrasion Resistant Glaze" applied on VC Shield Tiles



TECHNICAL SPECIFICATION

PACKAGING DETAILS FOR GLAZED VITRIFIED TILES				
Nominal Size(mm)	Thickness(mm)	Average weight per carton (Kgs)	No. of tiles per carton	Coverage area per carton
300X600 Vivo Series	8.0	17.0	5	0.90 sq. mtr. / 9.687 sq. ft.
300X600 Kalahari Series	12.0	18.2	4	0.72 sq. mtr. / 7.750 sq. ft.
300X600 Clad Stone Series	10.0	20.5	6	1.08 sq. mtr. / 11.625 sq. ft.
298X298 Kalahari Series	12.0	17.8	8	0.71 sq. mtr. / 7.642 sq. ft.
298X600 Kalahari Series	12.0	18.0	4	0.715 sq. mtr. / 7.696 sq. ft.

TECHICAL SPECIFICATION FOR GLAZED VITRIFIED TILES				
Characteristics	Requirement as per IS 15622 :2017 0.08 \leq 3% Group B/A	Requirement as per ISO 13006 \leq 0.5% Group B/A	Our Values	Test Method
A Dimension & Surface Quality				
i) Length & Width	$\pm 0.10\%$	$\pm 0.5\%$	$\pm 0.10\%$	IS 13630 Part 1/ ISO 10545-2
ii) Thickness	$\pm 5.0\%$	$\pm 5.0\%$	$\pm 5.0\%$	
iii) Straightness of Side	$\pm 0.10\%$	$\pm 0.50\%$	$\pm 0.10\%$	
iv) Rectangularity	$\pm 0.10\%$	$\pm 0.60\%$	$\pm 0.10\%$	
v) Surface Flatness				
a) Center curvature (%) (max.Deviation)	$\pm 0.50\%$	$\pm 0.50\%$	$\pm 0.2\%$	
b) Edge curvature (%) (max.Deviation)	$\pm 0.50\%$	$\pm 0.50\%$	$\pm 0.2\%$	
c) Corner warpage (%) (max.Deviation)	$\pm 0.50\%$	$\pm 0.50\%$	$\pm 0.2\%$	
vi) Surface Quality	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	
B. Physical Properties				
i) Water Absorption	Av. 0.08\leq 3 %, Individual 3.3 max	Av \leq 0.5 %, Individual 0.6% max	Avg. \leq 0.5 %, Individual 0.6% max	IS 13630 Part 2/ ISO 10545-3
ii) Modulus of Rupture [N/mm ²]	Av. 30, Individual 27 min	Av. 35, Individual 32 min	Avg.35	IS 13630 Part 6/ISO 10545-4
iii) Breaking Strength in N	1100	1300	Min, 1100	
iv) Moisture Expansion in mm/m	0.02	Test method Available	0.02	IS 13630 Part 3/ISO-10545-10
v) Scratch Hardness of surface (Mohs)	Min 5	N.A.	Min.5 (for Matt & RT) Min.3 (for Polished)	IS 13630 Part 13
vi) Resistance to Abrasion of glazed tiles(Class I to V)	Min II	Abrasion Class & Cycle passed	Class-V (for Matt & RT) Class-III (for Polished)	IS 13630 Part 11 /ISO 10545-7
vii) Coefficient of linear thermal expansion from ambient temperature to 100° C	7 X 10 ⁻⁶ K ⁻¹ max	Test Method Available	Max 6 X 10 ⁻⁶ K ⁻¹ max	IS 13630 Part 4/ ISO 10545-8
viii) Thermal Shock Resistance	10 cycle min	Test Method Available	10 cycle passed	IS 13630 Part 5/ISO-10545-9
ix) Craze Resistance	4 cycle @ 7.5bar min	Required	4 cycle passed	IS 13630 Part 9/ISO 10545-11
x) Impact Resistance as Co-efficient of Restitution(COR)	0.55 min	Required	Min 0.55	ISO 10545-5
xi) Frost Resistance	Required	Required	100 Cycle Passed	IS 13630 Part 10/ISO 10545-12
C) Chemical Resistance (glazed Tiles)				
i) Stain Resistance	Min Class 1	Min Class 3	Min Class-1	IS 13630 Part 8 &ISO 10545-14
ii) Resistance to household chemicals	Min Class AA	Min Class GB	Min Class AA	IS 13630 Part 8/ ISO 10545-13
iii) Resistance to acids and alkalis (with exception of hydrofluoric acid and its compounds)	Required if agreed	Declared Value	Min Class AA	

The reproduction of tiles in this catalogue is restricted to four color printing only and tiles are not in relative sizes, therefore customers are advised to see the physical sample before placing the order. " Technical Specification" for Somany wall & floor tiles are applicable only for premium quality tiles. Please inspect all tiles prior to installation. Company will not entertain complaints once tiles are laid/fixed. Complaints will not be entertained for Borders, Highlighters & Motifs.

SOMANY
Bathware

Our
PORTFOLIO



Water Closets | Basins | Faucets | Showers | Water Heaters | Accessories

SOMANY

Ezy Fix
TILE ADHESIVE



HIGH STRENGTH POLYMER MODIFIED TILE ADHESIVE

BENEFITS

- ▶ READY AND EASY TO USE
- ▶ EXCELLENT BONDING WITH ALL SURFACES
- ▶ FAST SETTING
- ▶ SELF-CURING

USES

- ▶ FOR FIXING ALL TYPE OF TILES
- ▶ FOR NEW FLOORING AND RENOVATION
- ▶ CAN BE USED FOR TILE ON TILE