



600MM x 600MM
FULL BODY GLAZED VITRIFIED TILES

SOMANY
Tiles | Bathware

ZAMEEN SE JUDEY



Choice of the Superstar
Salman Khan

UNIT-3 FOR WEST

DURAGRES
Timeless Elegance

SOMANY

Somany Ceramics Limited : Noida: F-36, Sector-6; Ph.: 0120-4627900.
Ahmedabad: Office no. 7-14, 4th Floor, Aggarwal Mall, Opp. Sola Bhagwat Vidyapeeth, S.G. Road, Sola, Ph.: 079-66042500 to 599
Registered office: 2, Red Cross Place, Kolkata - 700001; Ph. (033) 22487406/5913
www.somanyceramics.com | e-mail marketing@somanyceramics.com

Toll Free No. 1800-103-0004 (Timing-10:00am to 6:30pm; Mon-Fri)



Visit us at:
www.somanyceramics.com



Find us at:
www.facebook.com/SomanyCeramic



Find us at:
www.twitter.com/SomanyCeramic



DURAGRES / CAT / AUGUST-2021



FULL POLISHED

FULL POLISHED
MARBLE
RUSTIC
STONE
MATT

Tiles Shown:
600x600mm
ONIXERA
CREMA
MIRROR FP



V4

AIHAMBRA LIGHT GREY FP
Full Polish, 600x600mm



V4

AIHAMBRA DARK GREY FP
Full Polish, 600x600mm



V4

ARIA CALACATTA FP
Full Polish, 600x600mm



V3

BARAJAS MARRON DARK FP
Full Polish, 600x600mm



V3

BARAJAS MARRON LIGHT FP
Full Polish, 600x600mm



V4

CICILIA CREMA FP
Full Polish, 600x600mm



V2

CUPID GREY FP
Full Polish, 600x600mm



V4

ELIOS DARK FP
Full Polish, 600x600mm



V4

ELIOS LIGHT FP
Full Polish, 600x600mm



V4

FLOS DARK GREY FP
Full Polish, 600x600mm



V4

FLOS LIGHT GREY FP
Full Polish, 600x600mm



V4

FLOS OYSTER FP
Full Polish, 600x600mm



V4

FLOS ROSATO FP
Full Polish, 600x600mm



V1

GLACIER WHITE FP
Full Polish, 600x600mm




V3

IMPERIAL DIANO BEIGE FP
Full Polish, 600x600mm



V3

IMPERIAL DIANO GREY FP
Full Polish, 600x600mm



V4

MARINE RUSH AQUA FP
Full Polish, 600x600mm



V4

MARINE RUSH BLUE FP
Full Polish, 600x600mm



V4
MONTANO BROWN FP
Full Polish, 600x600mm



V4
MONTANO CREMA FP
Full Polish, 600x600mm



V4
MONTANO GRIS FP
Full Polish, 600x600mm



V4
MONTANO GREY FP
Full Polish, 600x600mm



V4
NAVONA BROWN FP
Full Polish, 600x600mm



V4
NAVONA BEIGE FP
Full Polish, 600x600mm



V3
OROCCIA IVORY FP
Full Polish, 600x600mm



V3
OROCCIA BROWN FP
Full Polish, 600x600mm



V4
SEGESTA BIANCO FP
Full Polish, 600x600mm




V4
SEGESTA GOLD FP
Full Polish, 600x600mm



V4
STATURIO FP
Full Polish, 600x600mm



V1
CALCATUX WHITE MIRROR FP
Full Polish, 600x600mm




V1
ELEGANSO GOLD MIRROR FP
Full Polish, 600x600mm



V1
LASSA BLUSH MIRROR FP
Full Polish, 600x600mm





V1
ONIXERA CREMA MIRROR FP
Full Polish, 600x600mm



V1
PANDA STATUARIO MIRROR FP
Full Polish, 600x600mm



V1
RUBICA BRONZ MIRROR FP
Full Polish, 600x600mm



V1
SAPHAIR BLUE MIRROR FP
Full Polish, 600x600mm



V1
VEGAS GOLD MIRROR FP
Full Polish, 600x600mm



CHISUMI LAM
MATT FINISH
MARBLE
STONE
RUSTIC
MATT

Tiles Shown:
600x600mm
LIVING STONE
CREMA VC





V4
ADINA WOOD MAHOGANY
Matt, 600x600mm



V4
ADINA WOOD WALNUT
Matt, 600x600mm



V4
CASIA WOOD TEAK
Matt, 600x600mm



V4
CASIA WOOD WENGE
Matt, 600x600mm




V4
ROSSO WOOD FOREST
Matt, 600x600mm




V4
ROSSO WOOD PINE
Matt, 600x600mm



Tiles Shown:
600x600mm
ROSSO WOOD
FOREST



V1
GLACIER WHITE VC
Matt, 600x600mm



V1
DELMON BEIGE VC
Matt, 600x600mm



V1
DELMON GREY VC
Matt, 600x600mm



V3
IMPERIAL DIANO BEIGE VC
Matt, 600x600mm



V3
IMPERIAL DIANO GREY VC
Matt, 600x600mm



V4
LIVING STONE ASH VC
Matt, 600x600mm



V4
LIVING STONE BEIGE VC
Matt, 600x600mm



V4
LIVING STONE CREMA VC
Matt, 600x600mm



V4
SEGESTA BIANCO VC
Matt, 600x600mm




V1
MONTANA BEIGE VC
Matt, 600x600mm



V1
MONTANA BIANCO VC
Matt, 600x600mm



V1
MONTANA GREY VC
Matt, 600x600mm



V1
MONTANA NERO VC
Matt, 600x600mm






RUSTIC FINISH

FULL POLISHED
MARBLE
STONE
RUSTIC FINISH
MATT


Tiles Shown:
600x600mm
CASA
KENTRA BEIGE
&
BEROAL
STONE GREY



V1
BELDEN STONE IRON
Rustic, 600x600mm



V1
BELDEN STONE ASH GREY
Rustic, 600x600mm



V1
BELDEN STONE METAL GREY
Rustic, 600x600mm



V1
CASA AGADIR GREY
Rustic, 600x600mm



V1
CASA BELA BEIGE
Rustic, 600x600mm



V1
CASA KENITRA BEIGE
Rustic, 600x600mm



V1
BELDEN STONE SAND
Rustic, 600x600mm



V1
BELDEN STONE MINK
Rustic, 600x600mm



V1
BEROAL STONE NERO
Rustic, 600x600mm



V1
CASA RABAT GREY
Rustic, 600x600mm



V1
CASA TANGIER VARDE
Rustic, 600x600mm



V3
CORONADO STONE NERO
Rustic, 600x600mm



V1
BEROAL STONE BIANCO
Rustic, 600x600mm




V1
BEROAL STONE MARRON
Rustic, 600x600mm



V1
BEROAL STONE GREY
Rustic, 600x600mm



V3
CORONADO STONE BIANCO
Rustic, 600x600mm



V3
CORONADO STONE GREY
Rustic, 600x600mm



V3
CORONADO STONE BEIGE
Rustic, 600x600mm



V3
CORONADO STONE FIRE
Rustic, 600x600mm



V4
ETHOS BEIGE
Rustic, 600x600mm



V4
ETHOS COTTO
Rustic, 600x600mm



V4
ETHOS GREY
Rustic, 600x600mm



V1
PLAZO BEIGE
Rustic, 600x600mm



V3
TIVOLI STONE TAN
Rustic, 600x600mm



V3
TIVOLI STONE CREMA
Rustic, 600x600mm



V3
TIVOLI STONE COFFEE
Rustic, 600x600mm



V3
TIVOLI STONE BIANCO
Rustic, 600x600mm



V4
TUSCAN STONE BIANCO
Rustic, 600x600mm



V4
TUSCAN STONE STEEL GREY
Rustic, 600x600mm



V4
TUSCAN STONE CHARCOAL
Rustic, 600x600mm



V4
TUSCAN STONE BROWN
Rustic, 600x600mm



V4
TUSCAN STONE MUSHROOM
Rustic, 600x600mm



V4
VENICE BROWN
Rustic, 600x600mm




V4
VENICE CREMA
Rustic, 600x600mm



DESIGN, PATTERN & SHADE VARIATION GUIDE

Current development efforts have made ceramic tiles to resemble and look authentically identical to natural material (Stone, Wood, Fabric), and it has become increasingly difficult in many cases, to distinguish between two.

Recognising this situation, it is necessary to be informed on the grade of design & pattern variation that is expected from these products. As a general reference, the design & Pattern guide below classifies a scale of ranges according to the degree of variation.



V1 Uniform Appearance V2 Slight Variation V3 Moderate Variation V4 Substantial Variation

The classification is as follows:

V1 Minimal Variation V2 Random Variation V3 Slight Variation V4 Substantial Variation



High Definition Image

While laying the tiles please follow the arrow on the back of the tiles.
For removing the wax from the surface of the tiles please use the soft cotton cloth for rubbing with any boric/talk powder



VEILCRAFT (VC) SHIELD

Not only look and style; the buzz word for the Gen X tile is timeless elegance. Here comes the revolutionary patented "VeilCraft (VC) Shield" technology, a 'high abrasion resistant glaze' composition, known as VC (VeilCraft) Shield. This is the first ever patented technology in Indian Ceramic Industry. This not only gives you the perfect aesthetics for your space but also the lifelong protection to your floor.

Result Of The abrasion test at 25,000 revolutions as per the PEI Methodology



Patent Certificate for
"High Abrasion Resistant Glaze"
applied on VC Shield Tiles



PACKAGING DETAIL FOR 600x600MM FLOOR TILES

Nominal Size	Thickness(mm)	Average weight per carton (Kgs)	No. of tiles per carton	Coverage area per carton
600x600MM	8.7 mm	28.00 Kg.	4 Pcs	1.44 Sq.mt / 15.50 Sq.ft

TECHNICAL SPECIFICATIONS FOR 600x600MM FLOOR TILES

Characteristics	Requirement as per IS 15622 :2017 E ≤ 0.08% Group B I a	Requirements as per ISO 13006 ± 0.5% Group B I a	Our Values	Test Method
A) Dimension & Surface Quality				
i) Length & Width	±0.10%	±0.5%	±0.10%	IS 13630 Part 1/ ISO 10545-2
ii) Thickness	± 5.0%	± 5.0%	± 4.0%	
iii) Straightness of Side	±0.10%	±0.50%	±0.10%	
iv) Rectangularity	±0.10%	±0.60%	±0.10%	
v) Surface Flatness				
a) Center curvature (%) (max.Deviation)	±0.50 %	±0.50 %	±0.2 %	
b) Edge curvature (%) (max.Deviation)	±0.50 %	±0.50 %	±0.2 %	
c) Corner warpage (%) (max.Deviation)	± 0.50 %	± 0.50 %	± 0.2 %	
vi) Surface Quality	>95 % free from visible defects	>95 % free from visible defects	>95 % free from visible defects	
B) Physical Properties				
i) Water Absorption	Av E ≤ 0.08 %, Individual 0.1 max	Av ≤ 0.5 %, Individual 0.8% max	Av E ≤ 0.08 %	IS 13630 Part 2/ ISO 10545-3
ii) Modulus of Rupture [N/mm ²]	Av 35, Individual 32 min	Av 35, Individual 32 min	Avg. 40 Ind 38	IS 13630 Part 6/ISO 10545-4
iii) Breaking Strength in N	1300	1300	Min 1500	
iv) Moisture Expansion in mm/m	0.02	Test method available	0.02	IS 13630 Part 3/ISO-10545-10
v) Scratch Hardness of surface (Mohs)	Min 5	N.A.	Min-5 (For VC & Rustic), Min-3 (For Polished)	IS 13630 Part 13
vi) Surface Abrasion Resistance	Min II	Abrasion Class & Cycle passed	Class V (for VC & Rustic), Class III (for Polished)	IS 13630 Part 11 /ISO 10545-7
vii) Coefficient of linear thermal expansion from ambient temperature to 100° C	6 X 10 ⁻⁶ K ⁻¹	Test method available	Max. 6 X 10 ⁻⁶ K ⁻¹	IS 13630 Part 4/ ISO 10545-8
viii) Thermal Shock Resistance	10 cycle min	Test method available	10 cycle Passed	IS 13630 Part 5/ISO-10545-9
ix) Craze Resistance	4 cycle @ 7.5bar min	Required	4 cycle passed	IS 13630 Part 9/ISO 10545-11
x) Impact Resistance as Co-efficient of Restitution	0.55 min	Required	Min 0.55	ISO 10545-5
xi) Frost Resistance	Required	Required	100 Cycle passed	IS 13630 Part 10/ISO 10545-12
C) Chemical Resistance (glazed Tiles)				
i) Stain Resistance	Min Class-1	Min Class-3	Min Class-1 (For Matt), Class-2 (For polished)	IS 13630 Part 8 & ISO 10545-14
ii) Resistance to household chemicals	Min Class AA	Min Class GB	Min Class AA	IS 13630 Part 8/ ISO 10545-13
iii) Resistance to acids and alkalis (with exception of hydrofluoric acid and its compounds)	Required if agreed	Declared Value [†]	Min Class AA	

The reproduction of tiles in this catalogue is restricted to four color printing only and tiles are not in relative sizes, therefore customers are advised to see the physical sample before placing the order. "Technical Specification" for Somany wall & floor tiles are applicable only for premium quality tiles. Please inspect all tiles prior to installation. Company will not entertain complaints once tiles are laid/fixed. Complaints will not be entertained for Borders, Highlighters & Motifs.