


**VARMORA** 

TILES • BATHWARE



120x  
278cm 6mm  
THICKNESS



## ABOUT US

Varmora Granito Pvt. Ltd. is a flagship company of the Varmora Group and a leading manufacturer of high-quality ceramic tiles, bath and sanitary products, and other building materials. Established in 1994, Varmora Granito has grown to become one of the largest manufacturers in the industry, with in-house production capacity of 35 msm per annum. With a focus on innovation, sustainability, and customer satisfaction, Varmora Granito is committed to providing its customers with the best products and services worldwide. Varmora now boasts 317 exclusive brand outlets (EBOs) and 2,000+ multi-brand outlets (MBOs) in their network. Whether you're looking for stylish tiles, durable bath and sanitary products, or other building materials, Varmora Granito has you covered.

To know more about Varmora Granito visit [www.varmora.com](http://www.varmora.com)

## **ABOUT THE TECHNOLOGY**

Discover the remarkable combination of traditional craftsmanship with the latest technology. We at Varmora strive for advancement in the ceramic world by infusing modern techniques and technology to craft impeccable and unique textures, designs, and layouts. The meticulously crafted tiles undergo a superior transition with the help of technology, showcasing versatile effects. Above all, vivid techniques are opted that add high aesthetic value to the tiles and through advanced machinery, the tiles are moulded and given a definite shape to blend with the decor style of spaces seamlessly.



TRANSFORMING  
WALLS WITH  
BREATHTAKING  
DIMENSION

120x  
278cm

6mm  
THICKNESS



FLEXIBLE



## INDEX



HIGH GLOSS  
COLLECTION



ROCKER  
COLLECTION

REDEFINING SPACES WITH TWO MAGNIFICENT COLLECTIONS





# HIGH GLOSS COLLECTION

Experience the beauty of a reflective mirror.

## FEATURES



ZERO  
MAINTENANCE



DIGITAL  
PRINTING



IMPORTED SUPER  
GLAZE



RANDOM  
DESIGN




LOW WATER  
ABSORPTION



ECO  
FRIENDLY



HIGH REFLECTION  
GLAZE






**HIGH GLOSS** COLLECTION




STATUARIO SUPER





**HIGH GLOSS** COLLECTION




CARRARA PEARL



**HIGH GLOSS** COLLECTION



STATUARIO CASTROK







**HIGH GLOSS** COLLECTION



ONYX WHITE

\* Touch the **QR** to unlock 360° view.



**HIGH GLOSS** COLLECTION



LINOVA



**HIGH GLOSS** COLLECTION



SILVER RIVER NATURAL






**HIGH GLOSS** COLLECTION



MAXO GREY





HIGH GLOSS COLLECTION



MARQUINA NERO





# ROCKER COLLECTION

Feel the touch of contemporary elegance.

## FEATURES



ZERO  
MAINTENANCE



ABRASION  
RESISTANCE



DIGITAL  
PRINTING



RANDOM



DOES NOT  
ABSORB LIQUIDS



IMPORTED SUPER  
GLAZE



ECO  
FRIENDLY



ANTI-SKID






**ROCKER** COLLECTION



MORTAR GREY






**ROCKER** COLLECTION



MORTAR STEEL








**ROCKER** COLLECTION



MORTAR RUST





**ROCKER** COLLECTION



MORTAR NERO

\* Touch the QR to unlock 360° view.



**ROCKER** COLLECTION



SILVER RIVER CLASSIC



## TECHNICAL SPECIFICATION

SR. NO.	CHARACTERISTIC	TEST METHOD	IS 15622 :2017 (GROUP B I a)	VARMORA VALUE
A	DIMENSION & SURFACE QUALITY			
1	Deviation in Length & Width	IS - 13630 - 1	± 0.10%	± 0.10%
2	Deviation in Thickness	IS - 13630 - 1	± 5.00%	± 3.50%
3	Straightness of sides	IS - 13630 - 1	± 0.10%	± 0.10%
4	Rectangularity	IS - 13630 - 1	± 0.10%	± 0.10%
5	Surface Flatness	IS - 13630 - 1	± 0.50%	± 0.20%
6	Surface Quality	IS - 13630 - 1	Minimum 95 % of tiles shall be free from visible defects	95%
B	PHYSICAL PROPERTIES			
1	Water Absorption	IS - 13630 - 2	≤0.08%,Avg.	0.06%,Avg.
2	Modulus of Rapture(N/mm <sup>2</sup> )	IS - 13630 - 6	Avg. 35 N/mm <sup>2</sup>	Avg. 40 N/mm <sup>2</sup>
3	Breaking Strength (N)	IS - 13630 - 6		
4	Moisture Expansion (mm/m)	IS - 13630 - 3	0.02 Max.	0.01 Max.
5	Scratch Hardness of Surface (Moh' Scale)	IS - 13630 - 13	5, Min	5, Min*
6	Resistance of Surface Abrasion (Glazed tiles)	IS - 13630 - 11	Class II, Min.	Class IV
7	Co-efficient of linear thermal expansion	IS - 13630 - 4	6x10 <sup>-6</sup> , Max	6x10 <sup>-6</sup> , Max
8	Thermal Shock Resistance	IS - 13630 - 5	10 Cycles, Min	10 Cycles, Pass
9	Crazing Resistance	IS - 13630 - 9	4 Cycles at 7.5 Bar, Min	4 Cycles, Pass
10	Impact Resistance-Coefficient of Restitution	IS - 13630 - 14	0.55, Min	0.55, Min
11	Coefficient of Friction	-	Manufacturer Norms	Manufacturer Norms
12	Frost Resistance	IS - 13630 - 10	Manufacturer Norms	No Damage
13	Resistance to Deep Abrasion for Unglazed Tiles (mm <sup>2</sup> )	IS - 13630 - 12	140,Max	140,Max
14	Bulk Density (g/cc)	IS - 13630 - 2	2.2, Min	2.3, Min
C	CHEMICAL PROPERTIES			
1	Resistance to Staining	IS - 13630 - 8	<b>Glaze</b> - Class 1,Min <b>Unglaze</b> - Class 2,Min	<b>Glaze &amp; Unglaze</b> - Class 2,Min
2	Resistance to Household Chemicals	IS - 13630 - 8	<b>Glaze</b> - Class AA,Min <b>Unglaze</b> -Required If agreed according to chemical resistance class indicated by manufacturer	Class AA
3	Resistance to Acids & Alkalis	IS - 13630 - 8	<b>Glaze &amp; Unglaze</b> -Required If agreed according to chemical resistance class indicated by manufacturer	Resistance

VARMORA Values given above are own valued, Which we tries to maintain, how ever test results may differ up to the limit prescribed under IS 15622 :2017 (GROUP B I a)  
\* Minimum 5 On matt tiles.

Note: Colour shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Our effort has been made to ensure the accuracy of the information given. However, the company reserve the right to change the specifications without prior notice. Sometime variations in shade or size being inherent to ceramic industry may occur. Before fixing, we advise you to follow the fixing instructions on the cartons (box) of the tiles. No responsibility will be accepted by the company once the tiles have been fixed.



## VARMORA

TILES • BATHWARE

### HEAD OFFICE

8/A National Highway, At. Dhuva, Tal. Wankaner, Morbi-363621, Gujarat, India

### Tiles Contact:

Mob.: +91 98252 23068

E-mail: marketing@varmora.com

### Bathware Contact:

Mob.: +91 90999 13129

E-mail: marketing@varmorasanitaryware.com

### Mob.: +91 99139 23095

E-mail: customercare.faucets@varmora.com

### Mob.: +91 90990 01734

E-mail: customercare.bathware@varmora.com

### Mob.: +91 90990 01734

E-mail: customercare.sink@varmora.com

### CORPORATE OFFICE

Varmora Granito Pvt. Ltd.  
1004/5/6 South Tower, ONE42  
Off Bopal-Ambli Road  
Ahmedabad-380054, Gujarat,INDIA

### REGIONAL OFFICE

A-54, 1st Floor, Elite Auto House  
Mathuradas Vasanji Road, Andheri - Kurla Road  
Andheri (East) Mumbai 400 093  
Tel.: +91-22-4973 9179, Fax: +91-22-2838 9794  
E-mail: mumbai@varmora.com

Tiles Customer Care:

**1800 212 0053**

Bathware Customer Care

**1800 212 4525**

Follow us:

