









# ABOUT THE TECHNOLOGY

Discover the remarkable combination of traditional craftsmanship with the latest technology. We at Varmora strive for advancement in the ceramic world by infusing modern techniques and technology to craft impeccable and unique textures, designs, and layouts. The meticulously crafted tiles undergo a superior transition with the help of technology, showcasing versatile effects. Above all, vivid techniques are opted that add high aesthetic value to the tiles and through advanced machinery, the tiles are molded and given a definite shape to blend with the decor style of spaces seamlessly.

## INTRODUCING


# BEAUTY OF TILES THAT LASTS A LIFETIME



50+ — 01


DESIGNS COMBINATIONS SIZE

CREATIVE




# WITNESS THE MERGER OF ART WITH ARCHI TECTURE





## **INDEX**



Tune the rhythm of your space with a range of exotic yet elegant collections, equal in form and function.

## TECHNICAL FEATURES

Discover infinite possibilities with class-apart features of tiles, blending effortlessly with the decor style of versatile spaces.



EASY CLEANING AND CARE



THERMAL SH RESISTANCE THERMAL SHOCK



HEAT-RESISTANT



RESISTANCE TO STAINS





LIGHT-FAST COLOURS



RESISTANCE TO HOUSEHOLD CHEMICALS



SCRATCH RESISTANCE

ANTI-SKID



DOES NOT ABSORB LIQUIDS



IMPACT RESISTANCE



DIGITAL PRINTING



ECO FRIENDLY



ZERO MAINTENANCE



ABRASION RESISTANCE




RANDOM




**↓ 12mm THICKNESS** 

Upgrade your space with tiles of 12mm thickness, known for their substantial build and a touch of elegance to spaces.













Astrid Cottastone Multi



Astrid Brown



Astrid Grey





## Athens | Rustic Matt









Athens Multi



Athens Brown




Athens Red
















Biden Bianco



Biden Choco




Biden Black














Biden Tusk

Biden Grey
















Borner Chrome



Bronzetto Verde



Bronzetto Wood











Callie Fern

Callie Rainbow



Callie Dove















Dorato Gray

Dorato Natural





Dorato Beige


Dorato Tusk













Glacier Brown

Glacier Brown Stone













Hezal Beige

Hazel Natural



Hazel Multi













Hazel Varde


Hazel Olive













Intel Beige Random Faces - 3



Intel Ivory Random Faces - 3



Intel Brown Random Faces - 3




Intel Silver
Random Faces - 3


















Legacy Russet









Legacy Grey













Liverpool Beige



Liverpool Brown




Liverpool Ivory






# Liverpool | Rustic Matt








Liverpool Grey

Liverpool Nero




Liverpool Verde






# Marco Rustic










Marco Brown




Marco Ivory






## Marco | Rustic







Marco Bianco

Marco Nero






## Marcstone | Rustic Matt










Marcstone Ocra



Marcstone Brown




Marcstone Choco





## Marcstone | Rustic Matt











Marcstone Nero



Marcstone Dove



Marcstone Tan





# Marvit | Rustic





Marvit Brown
Random Faces - 4



Marvit Griss Random Faces - 4



Marvit Natural Random Faces - 4















Megha Gold



Megha Nero


















Melt Marfil

Melt Brown





Melt Bianco

Melt Gray






## Meradian Rustic





Meradian Beige Random Faces - 4



Meradian Grigio Random Faces - 4



Meradian Brown Random Faces - 4




Meradian Saffron Random Faces - 4
















Nicola Terastone



Nicola Grey















Pavit Faded




Pavit Silver














Pavit Bianco


Pavit Nero





# Phuket | Rustic Matt






Phuket Red



Phuket Vectro Random Faces - 3



Phuket Grey











Pirgon Mix Random Faces - 4













Proton Bianco Random Faces - 6





Proton Verde Random Faces - 6



Proton Azul Random Faces - 6















Proton Ocra Random Faces - 6




Proton Teraston
Random Faces - 6




Proton Choco Random Faces - 6












Resist Bianco Random Faces - 4



Resist Ivory
Random Faces - 4



Resist Grey Random Faces - 4




Resist Multi Random Faces - 4












Rolex Tupe
Random Faces - 3



Rolex Bianco
Random Faces - 3



Rolex Cotta
Random Faces - 3



Rolex Natural
Random Faces - 3











Rolex Grey




Rolex Terrastone
Random Faces - 3











Rome Bianco Random Faces - 3



Rome Grey
Random Faces - 3




Rome Nero Random Faces - 3















Rome Brown
Random Faces - 3













Sand Rock Gray

Sand Rock Brown



Sand Rock Wood













Sergio Wooden

Sergio Brown




Sergio Sand











Skylar Beige Random Faces - 3



Skylar Grey Random Faces - 3



Skylar Choco Random Faces - 3













Stocko Grey

Stocko Terastone




Stocko Cemento












Trixo Ivory
Random Faces - 3



Trixo Copper
Random Faces - 2



Trixo Choco Random Faces - 3



Trixo Grey Random Faces - 3
















Valerius Choco



Valerius Azul



# ) )

## **Technical Specification**

DIGITAL OUTDOOR TILES

SR. NO.	СН	ARACTERISTIC	TEST METHOD	IS 15622 :2017 (GROUP B I b)	VARMORA VALUE
					VALUE VALUE
A	DIMENSION & SURFACE QUALITY				
1	Deviation in Length & Width		IS - 13630 - 1	± 0.10%	± 0.10%
2	Deviation in Thickness		IS - 13630 - 1	± 5.00%	± 3.50%
3	Straightness of sides		IS - 13630 - 1	± 0.10%	± 0.10%
4	Rectangularity		IS - 13630 - 1	± 0.10%	± 0.10%
5	Surface Flatness		IS - 13630 - 1	± 0.50%	± 0.20%
6	Surface Quality		IS - 13630 - 1	Minimum 95 % tiles shall be free from visible defects	95%
В	PHYSICAL PROPERTIES				
1	Water Absorption		IS - 13630 - 2	Avg. 0.08% <e<u>&lt;3%</e<u>	Avg.0.5% - 3%
2	Modulus of Rapture(N/mm³)		IS - 13630 - 6	Avg. 30 N/mm <sup>2</sup>	Avg. 32 N/mm <sup>2</sup>
3	Breaking Strength (N)		IS - 13630 - 6	Thickness <7.5 mm = 700 N, Min Thickness >7.5 mm = 1100 N, Min	Thickness ≥7.5 mm = 1200 N
4	Moisture Expansion (mm/m)		IS - 13630 - 3	0.02 Max.	0.01 Max.
5	Scratch Hardness of Surface (Mohs' Scale)		IS - 13630 - 13	5, Min	5, Min*
6	Resistance of Surface Abrasion(Glazed Tiles)		IS - 13630 - 11	Class II, Min.	Class IV
7	Co-efficient of linear thermal expansion		IS - 13630 - 4	7x10 <sup>-6</sup> , Max	7x10 <sup>-6</sup> , Max
8	Thermal Shock Resistance		IS - 13630 - 5	10 Cycles, Min	10 Cycles, Pass
9	Crazing Resistance		IS - 13630 - 9	4 Cycles at 7.5 Bar, Min	4 Cycles, Pass
10	Impact Resistance- Co-efficient of Restitution		IS - 13630 - 14	0.55, Min	0.55, Min
11	Co-efficient of Friction		-	Manufacturer Norms	Manufacturer Norms
12	Frost Resistance		IS - 13630 - 10	Manufacturer Norms	No Damage
13	Bulk Density (g/cc)		IS - 13630 - 2	2.0 , Min	2.3
	CHEMICAL PROPERTIES				
1	Resistance to Staining		IS - 13630 - 8	Class 1, Min.	Class 1, Min
2	Resistance to Household Chemicals		IS - 13630 - 8	Class AA, Min	Class AA, Min
3	Resistance to Acids & Alkalis		IS - 13630 - 8	Required If agreed according to chemical resistance class indicated by manufacturer	Resistance
Product Ca	Product Category Body		Size	Coverage (Sq. M.)	No. of Tiles/Box
Outdoor		GVT	400X400MM	0.8	5 PCS

VARMORA Values given above are own valued, Which we tries to maintain, how ever test results may differ up to the limit prescribed under IS 15622:2017 (GROUP B I b \* Minimum 5 On matt tiles.

Note: Colour shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sumple of the file before ordering. Our effort has been made to ensure the accuracy of the information given.

However, the company reserve the right to change the specifications without prior notice. Sometime variations in shade or size being inherent to ceramic industry may occur. Before fixing, we advise you to follow the fixing instructions on
the cartons (box) of the files. To expensibility will be accepted by the company once the files have been fixed.



### **HEAD OFFICE**

8/A National Highway, At. Dhuva, Tal. Wankaner, Morbi-363621, Gujarat, India

#### **Tiles Contact:**

Mob.: +91 98252 23068

E-mail: marketing@varmora.com

#### **Bathware Contact:**

Mob.: +91 90999 13129

Mob.: +91 90990 01734

E-mail: marketing@varmorasanitaryware.com

#### Mob.: +91 99139 23095

E-mail: customercare.faucets@varmora.com

ets@varmora.com E-mail: customercare.bathware@varmora.com

Mob.: +91 90990 01734

E-mail: customercare.sink@varmora.com

#### **CORPORATE OFFICE**

Varmora Granito Pvt. Ltd. 1004/5/6 South Tower, ONE42 O ffBopal-Ambli Road Ahmedabad-380054, Gujarat,INDIA

#### **REGIONAL OFFICE**

A-54, 1st Floor, Elite Auto House Mathuradas Vasanji Road, Andheri - Kurla Road Andheri (East) Mumbai 400 093 Tel.: +91-22-4973 9179, Fax: +91-22-2838 9794

E-mail: mumbai@varmora.com

Tiles Customer Care:

1800 212 0053

Bathware Customer Care

1800 212 4525

Follow us:

