

ABOUT THE TECHNOLOGY

Discover the remarkable combination of traditional craftsmanship with the latest technology. We at Varmora strive for advancement in the ceramic world by infusing modern techniques and technology to craft impeccable and unique textures, designs, and layouts. The meticulously crafted tiles undergo a superior transition with the help of technology, showcasing versatile effects. Above all, vivid techniques are opted that add high aesthetic value to the tiles and through advanced machinery, the tiles are molded and given a definite shape to blend with the decor style of spaces seamlessly.

INTRODUCING

BEAUTY OF TILES THAT LASTS A LIFETIME




50+ 01

DESIGNS SIZE COMBINATIONS FINISH

CREATIVE

CONCEPTS



WITNESS THE MERGER OF ART WITH ARCHITECTURE





Transform your space into an architectural marvel with a unique tile size and designs to complement every corner.

INDEX



Basaltic

Blair

Delicat

Elito

Frittas

Tune the rhythm of your space with a range of exotic yet elegant collections, equal in

form and function.

Martino

Promo

Rome

Slato

Soil

Vintage

TECHNICAL FEATURES

Discover infinite possibilities with class-apart features of tiles, blending effortlessly with the decor style of versatile spaces.



EASY CLEANING AND CARE



THERMAL SHOCK RESISTANCE



HEAT-RESISTANT





LIGHT-FAST COLOURS



RESISTANCE TO HOUSEHOLD CHEMICALS



SCRATCH RESISTANCE

ANTI-SKID

ZERO MAINTENANCE

RESISTANCE TO STAINS





DOES NOT ABSORB LIQUIDS



DIGITAL PRINTING





ABRASION RESISTANCE






RANDOM

IMPACT RESISTANCE


ECO FRIENDLY













Basaltic Ivory Random Faces - 3



Basaltic Multi Decor Random Faces - 3



Basaltic Brown
Random Faces - 3



Basaltic Natural
Random Faces - 3













Basaltic Bianco Random Faces - 3



Basaltic Multi Decor Random Faces - 3




Basaltic Grey Random Faces - 0



Basaltic Nero Random Faces - 3

















Blair Stone








Blair Nero












Delicat Copper Random Faces - 4



Delicat Choco Random Faces - 4



Delicat Dove Random Faces - 4



Delicat Natural Random Faces - 4











Delicat Grey Random Faces - 4



Delicat Ivory Random Faces - 4











Elito Grey Random Faces - 4



Elito Ivory Random Faces - 4



Elito Natural Random Faces - 4











Frittas Copper Random Faces - 4



Frittas Natural Mix Random Faces - 4




Frittas Grey Random Faces - 4




Frittas Griss Mix Random Faces - 4












Martino Ivory Random Faces - 4



Martino Pearl Random Faces - 4



Martino Copper Random Faces - 4



Martino Nero Random Faces - 4











Martino Rust Random Faces - 4




Martino Stone Random Faces - 4












Promo Ivory



Promo Brown



Promo Slato Random Faces - 4



Promo Red








Rustic Matt | Secies - Mystique





Rome Beige













Slato Bianco Random Faces - 6



Slato Nero Random Faces - 6



Slato Grey Random Faces - 6



Slato Grey Decor Random Faces - 4












Slato Ivory Random Faces - 6



Slato Natural Random Faces - 6



Slato Coco Random Faces - 6



Slato Coco Decor Random Faces - 4











Slato Copper Random Faces - 6











Soil Bianco Random Faces - 5



Soil Coffee Random Faces - 5




Soil Cemento Random Faces - 5



Soil Rust Copper Decor Random Faces - 4











Vintage Brick Random Faces - 3



Technical Specification

SR. NO.	CHARACTERISTIC		TEST METHOD	IS 15622 :2017 (GROUP B I b)	VARMORA VALUE
	DIMENSION & SURFACE QUALITY				
1	Deviation in Length & Width		IS - 13630 - 1	± 0.10%	± 0.10%
2	Deviation in Thickness		IS - 13630 - 1	± 5.00%	± 3.50%
3	Straightness of sides		IS - 13630 - 1	± 0.10%	± 0.10%
4	Rectangularity		IS - 13630 - 1	± 0.10%	± 0.10%
5	Surface Flatness		IS - 13630 - 1	± 0.50%	± 0.20%
6	Surface Quality		IS - 13630 - 1	Minimum 95 % tiles shall be free from visible defects	95%
В	PHYSICAL PROPERTIES				
1	Water Absorption		IS - 13630 - 2	Avg. 0.08% <e<u><3%</e<u>	Avg.0.5% - 3%
2	Modulus of Rapture(N/mm)		IS - 13630 - 6	Avg. 30 N/mm ²	Avg. 32 N/mm ²
3	Breaking Strength (N)		IS - 13630 - 6	Thickness <7.5 mm = 700 N, Min Thickness >7.5 mm = 1100 N, Min	Thickness ≥7.5 mm = 1200 N
4	Moisture Expansion (mm/m)		IS - 13630 - 3	0.02 Max.	0.01 Max.
5	Scratch Hardness of Surface (Mohs' Scale)		IS - 13630 - 13	5, Min	5, Min*
6	Resistance of Surface Abrasion(Glazed Tiles)		IS - 13630 - 11	Class II, Min.	Class IV
7	Co-efficient of linear thermal expansion		IS - 13630 - 4	7x10°, Max	7x10 ^{-€} , Max
8	Thermal Shock Resistance		IS - 13630 - 5	10 Cycles, Min	10 Cycles, Pass
9	Crazing Resistance		IS - 13630 - 9	4 Cycles at 7.5 Bar, Min	4 Cycles, Pass
10	Impact Resistance- Co-efficient of Restitution		IS - 13630 - 14	0.55, Min	0.55, Min
11	Co-efficient of Friction		-	Manufacturer Norms	Manufacturer Norms
12	Frost Resistance		IS - 13630 - 10	Manufacturer Norms	No Damage
13	Bulk Density (g/cc)		IS - 13630 - 2	2.0 , Min	2.3
	CHEM	IICAL PROPERTIES			
1	Resistance to Staining		IS - 13630 - 8	Class 1, Min.	Class 1, Min
2	Resistance to Household Chemicals		IS - 13630 - 8	Class AA, Min	Class AA, Min
3	Resistance to Acids & Alkalis		IS - 13630 - 8	Required If agreed according to chemical resistance class indicated by manufacturer	Resistance
Product C	Product Category Body		Size	Coverage (Sq. M.)	No. of Tiles/Box
Parking		Parking	500X500MM	0.75	3 PCS



HEAD OFFICE

8/A National Highway, At. Dhuva, Tal. Wankaner, Morbi-363621, Gujarat, India

Tiles Contact:

Mob.: +91 98252 23068

E-mail: marketing@varmora.com

Bathware Contact:

Mob.: +91 90999 13129

E-mail: marketing@varmorasanitaryware.com

Mob.: +91 99139 23095

E-mail: customercare.faucets@varmora.com

Mob.: +91 90990 01734

E-mail: customercare.sink@varmora.com

Mob.: +91 90990 01734

E-mail: customercare.bathware@varmora.com

CORPORATE OFFICE

Varmora Granito Pvt. Ltd. 1004/5/6 South Tower, ONE42 O ffBopal-Ambli Road Ahmedabad-380054, Gujarat, INDIA

REGIONAL OFFICE

A-54, 1st Floor, Elite Auto House Mathuradas Vasanji Road, Andheri - Kurla Road Andheri (East) Mumbai 400 093 Tel.: +91-22-4973 9179, Fax: +91-22-2838 9794

E-mail: mumbai@varmora.com

Tiles Customer Care:

1800 212 0053

Bathware Customer Care

1800 212 4525

Follow us:

